Subject: Re: [PATCH] net: Add etun driver Posted by Stephen Hemminger on Wed, 11 Apr 2007 16:16:06 GMT View Forum Message <> Reply to Message

On Tue, 10 Apr 2007 23:16:59 +0200 Johannes Berg < johannes@sipsolutions.net> wrote:

> On Tue, 2007-04-10 at 02:06 +0200, Patrick McHardy wrote:

- >> Same way as the current RTM SETLINK message works, but with creating
- >> a new link in advance. It works fine in other subsystems, so I don't
- >> see why it would in this case as well. Some subsystems do it in an
- >> atomic fashion (network schedulers for example), some first create
- >> the object, then configure it (network classifiers in the non-compat
- > > cases). In the network device case I suppose the later should work
- > > fine since a device needs to be set UP in a second action before
- > > it really does anything.

- > Looking at br netlink.c it seems that this sort of contradicts why
- > generic netlink was done, now all the sudden everything that wants to
- > create new links need its own netlink protocol number, no?

> johannes

Bridging is different since there was already a bridge protocol number assigned, there was no point in doing generic netlink.

Stephen Hemminger <shemminger@linux-foundation.org>

To unsubscribe from this list: send the line "unsubscribe netdev" in the body of a message to majordomo@vger.kernel.org More majordomo info at http://vger.kernel.org/majordomo-info.html

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containers