
Subject: Re: [PATCH] net: Add etun driver

Posted by [Patrick McHardy](#) on Wed, 11 Apr 2007 16:15:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Johannes Berg wrote:

> On Tue, 2007-04-10 at 02:06 +0200, Patrick McHardy wrote:

>

>

>>Same way as the current RTM_SETLINK message works, but with creating
>>a new link in advance. It works fine in other subsystems, so I don't
>>see why it would in this case as well. Some subsystems do it in an
>>atomic fashion (network schedulers for example), some first create
>>the object, then configure it (network classifiers in the non-compat
>>cases). In the network device case I suppose the later should work
>>fine since a device needs to be set UP in a second action before
>>it really does anything.

>

>

> Looking at br_netlink.c it seems that this sort of contradicts why
> generic netlink was done, now all the sudden everything that wants to
> create new links need its own netlink protocol number, no?

No, generic netlink avoids allocating netlink families. br_netlink uses the same netlink family as the other network configuration stuff (NETLINK_ROUTE), but a different rtgen_family (which matches the address families). But you have a valid point, if we want to use this for things like bonding or VLAN that aren't actually address families, we should consider introducing "rtnetlink families" to avoid adding AF_BONDING, AF_8021Q etc.

-

To unsubscribe from this list: send the line "unsubscribe netdev" in the body of a message to majordomo@vger.kernel.org

More majordomo info at <http://vger.kernel.org/majordomo-info.html>

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
