
Subject: Re: [patch 05/10] Add "permit user submounts" flag to vfstmount
Posted by [serue](#) on Tue, 17 Apr 2007 14:33:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quoting Miklos Szeredi (miklos@szeredi.hu):

> > > From: Miklos Szeredi <mszeredi@suse.cz>

> > >

> > > If MNT_USERMNT flag is not set in the target vfstmount, then

> >

> > MNT_USER and MNT_USERMNT? I claim no way will people keep those

> > straight. How about MNT_ALLOWUSER and MNT_USER?

>

> Umm, is "allowuser" more clear than "usermnt"? What is allowed to the

I think so, yes. One makes it clear that we're talking about allowing user (somethings :), one might just as well mean "this is a user mount."

> user? "allowusermnt" may be more descriptive, but it's a bit too

> long.

Yes, if it weren't too long it would by far have been my preference. Maybe despite the length we should still go with it...

> I don't think it matters all that much, the user will have to look up

> the semantics in the manpage anyway. Is "nosuid" descriptive? Not

> very much, but we got used to it.

nosuid is quite clear. MNT_USER and MNT_USERMNT are so confusing that in the time I go from quitting the manpage to foregrounding my editor, I may have already forgotten which was which.

-serge

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
