
Subject: [PATCH] bluetooth rfcomm: Convert to kthread API.

Posted by [ebiederm](#) on Thu, 19 Apr 2007 07:58:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Eric W. Biederman <ebiederm@xmission.com>

This patch starts krfcommd using kthread_run instead of a combination of kernel_thread and daemonize making the code slightly simpler and more maintainable.

Cc: Marcel Holtmann <marcel@holtmann.org>

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

net/bluetooth/rfcomm/core.c | 4 +---

1 files changed, 2 insertions(+), 2 deletions(-)

diff --git a/net/bluetooth/rfcomm/core.c b/net/bluetooth/rfcomm/core.c

index 34f993a..baaad49 100644

--- a/net/bluetooth/rfcomm/core.c

+++ b/net/bluetooth/rfcomm/core.c

@ @ -38,6 +38,7 @ @

#include <linux/net.h>

#include <linux/mutex.h>

#include <linux/freezer.h>

+#include <linux/kthread.h>

#include <net/sock.h>

#include <asm/uaccess.h>

@ @ -1938,7 +1939,6 @ @ static int rfcomm_run(void *unused)

atomic_inc(&running);

- daemonize("krfcommd");

set_user_nice(current, -10);

BT_DBG("");

@ @ -2058,7 +2058,7 @ @ static int __init rfcomm_init(void)

hci_register_cb(&rfcomm_cb);

- kernel_thread(rfcomm_run, NULL, CLONE_KERNEL);

+ kthread_run(rfcomm_run, NULL, "krfcommd");

if (class_create_file(bt_class, &class_attr_rfcomm_dlc) < 0)

BT_ERR("Failed to create RFCOMM info file");

--

1.5.0.g53756

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
