
Subject: Re: [patch 7/8] allow unprivileged mounts
Posted by [ebiederm](#) on Sat, 21 Apr 2007 21:00:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Jan Engelhardt <jengelh@linux01.gwdg.de> writes:

> On Apr 21 2007 10:57, Eric W. Biederman wrote:
>>
>>> tmpfs!
>>
>>tmpfs is a possible problem because it can consume lots of ram/swap.
>>Which is why it has limits on the amount of space it can consume.
>
> Users can gobble up all RAM and swap already today. (Unless they are
> confined into an rlimit, which, in most systems, is not the case.)
> And in case /dev/shm exists, they can already fill it without running
> into an rlimit early.

There are systems that care about rlimits and there is strong intersection between caring about rlimits and user mounts. Although I do agree that it looks like we have gotten lazy with the default mount options for /dev/shm.

Going a little farther any filesystem that is safe to put on a usb stick and mount automatically should ultimately be safe for unprivileged mounts as well.

So it looks to me like ultimately most of the common filesystems will actually be safe for non-privileged mounting.

Regardless this looks like an important discussion as soon as we have the glitches out of the non-privileged mount code.

Eric

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
