

---

Subject: Re: [PATCH] powerpc pseries eeh: Convert to kthread API  
Posted by [Christoph Hellwig](#) on Sun, 22 Apr 2007 12:31:55 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Thu, Apr 19, 2007 at 01:58:45AM -0600, Eric W. Biederman wrote:

> From: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

>

> This patch modifies the startup of eehd to use kthread\_run  
> not a combination of kernel\_thread and daemonize. Making  
> the code slightly simpler and more maintainable.

This one has the same scheme as the various s390 drivers where a thread is spawned using a workqueue on demand. I think we should not blindly convert it but think a little more about it.

The first question is obviously, is this really something we want? spawning kernel thread on demand without reaping them properly seems quite dangerous.

The second question is whether this is the right implementation. kthread\_create already works by using a workqueue to create the thread and then waits for it. If we really want to support creating threads asynchronously on demand we should have a proper API in kthread.c for this instead of spreading workqueues.

---

Containers mailing list  
[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---