
Subject: Re: Getting the new RxRPC patches upstream
Posted by [David Howells](#) on Tue, 24 Apr 2007 13:37:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

Oleg Nesterov <oleg@tv-sign.ru> wrote:

> > > We only care when `del_timer()` returns true. In that case, if the timer
> > > function still runs (possible for single-threaded wqs), it has already
> > > passed `__queue_work()`.
> >
> > Why do you assume that?

Sorry, I should have been more clear. I meant the assumption that we only care about a true return from `del_timer()`.

> If `del_timer()` returns true, the timer was pending. This means it was
> started by `work->func()` (note that `__run_timers()` clears `timer_pending()`
> before calling `timer->function`). This in turn means that
> `delayed_work_timer_fn()` has already called `__queue_work(dwork)`, otherwise
> `work->func()` has no chance to run.

But if `del_timer()` returns 0, then there may be a problem. We can't tell the difference between the following two cases:

- (1) The timer hadn't been started.
- (2) The timer had been started, has expired and is no longer pending, but another CPU is running its handler routine.

`try_to_del_timer_sync()` `_does_`, however, distinguish between these cases: the first is the 0 return, the second is the -1 return, and the case where it dequeued the timer is the 1 return.

BTW, can a timer handler be preempted? I assume not... But it can be delayed by interrupt processing.

David

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
