
Subject: [patch 43/68] Use task_pgrp() task_session() in copy_process()
Posted by [akpm](#) on Fri, 11 May 2007 05:23:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Use task_pgrp() and task_session() in copy_process(), and avoid find_pid()
call when attaching the task to its process group and session.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: <containers@lists.osdl.org>
Acked-by: Eric W. Biederman <ebiederm@xmission.com>
Signed-off-by: Andrew Morton <akpm@linux-foundation.org>

kernel/fork.c | 9 +++-----
1 file changed, 3 insertions(+), 6 deletions(-)

diff -puN kernel/fork.c~use-task_pgrp-task_session-in-copy_process kernel/fork.c

--- a/kernel/fork.c~use-task_pgrp-task_session-in-copy_process

+++ a/kernel/fork.c

@ @ -1249,14 +1249,11 @ @ static struct task_struct *copy_process(
__ptrace_link(p, current->parent);

```
if (thread_group_leader(p)) {  
- pid_t pgid = process_group(current);  
- pid_t sid = process_session(current);  
-  
p->signal->tty = current->signal->tty;  
- p->signal->pgrp = pgid;  
+ p->signal->pgrp = process_group(current);  
set_signal_session(p->signal, process_session(current));  
- attach_pid(p, PIDTYPE_PGID, find_pid(pgid));  
- attach_pid(p, PIDTYPE_SID, find_pid(sid));  
+ attach_pid(p, PIDTYPE_PGID, task_pgrp(current));  
+ attach_pid(p, PIDTYPE_SID, task_session(current));
```

```
list_add_tail_rcu(&p->tasks, &init_task.tasks);  
__get_cpu_var(process_counts)++;  
-
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
