
Subject: [RFC][PATCH 06/16] Define is_global_init()
Posted by [Sukadev Bhattiprolu](#) on Thu, 24 May 2007 01:11:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Define is_global_init()

From: Serge E. Hallyn <serue@us.ibm.com>

is_init() is an ambiguous name for the pid==1 check. Split it into is_global_init() and is_container_init().

A container init has it's tsk->pid == 1.

A global init also has it's tsk->pid == 1, and it's active pid namespace is the init_pid_ns.

Changelog:

2.6.21-mm2-pidns2:

- [Sukadev Bhattiprolu] Changed is_container_init() calls in {powerpc, ppc, avr32}/traps.c for the _exception() call to is_global_init().
This way, we kill only the container if the container's init has a bug rather than force a kernel panic.

Signed-off-by: Serge E. Hallyn <serue@us.ibm.com>

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

arch/alpha/mm/fault.c		2 +-
arch/arm/mm/fault.c		2 +-
arch/arm26/mm/fault.c		2 +-
arch/avr32/kernel/traps.c		2 +-
arch/avr32/mm/fault.c		6 +++---
arch/i386/lib/usercopy.c		2 +-
arch/i386/mm/fault.c		2 +-
arch/ia64/mm/fault.c		2 +-
arch/m32r/mm/fault.c		2 +-
arch/m68k/mm/fault.c		2 +-
arch/mips/mm/fault.c		2 +-
arch/powerpc/kernel/traps.c		2 +-
arch/powerpc/mm/fault.c		2 +-
arch/powerpc/platforms/pseries/ras.c		2 +-
arch/ppc/kernel/traps.c		2 +-
arch/ppc/mm/fault.c		2 +-
arch/s390/lib/uaccess_pt.c		2 +-
arch/s390/mm/fault.c		2 +-
arch/sh/mm/fault.c		2 +-

```

arch/sh64/mm/fault.c          | 6 +++---
arch/um/kernel/trap.c         | 2 +-
arch/x86_64/mm/fault.c        | 4 +++--
arch/xtensa/mm/fault.c        | 2 +-
drivers/char/sysrq.c           | 2 +-
include/linux/sched.h         | 13 +++-----
kernel/capability.c           | 3 ++-
kernel/exit.c                  | 2 +-
kernel/kexec.c                 | 2 +-
kernel/pid.c                   | 21 ++++++
kernel/sysctl.c                | 2 +-
mm/oom_kill.c                  | 4 +++-
security/commoncap.c           | 2 +-
32 files changed, 61 insertions(+), 46 deletions(-)

```

Index: lx26-21-mm2/arch/alpha/mm/fault.c

```

=====
--- lx26-21-mm2.orig/arch/alpha/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/alpha/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -192,7 +192,7 @@ do_page_fault(unsigned long address, uns
/* We ran out of memory, or some other thing happened to us that
   made us unable to handle the page fault gracefully. */
out_of_memory:
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;

```

Index: lx26-21-mm2/arch/arm/mm/fault.c

```

=====
--- lx26-21-mm2.orig/arch/arm/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/arm/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -197,7 +197,7 @@ survive:
    return fault;
}

- if (!is_init(tsk))
+ if (!is_global_init(tsk))
    goto out;

/*

```

Index: lx26-21-mm2/arch/arm26/mm/fault.c

```

=====
--- lx26-21-mm2.orig/arch/arm26/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/arm26/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -185,7 +185,7 @@ survive:
}

```

```

    fault = -3; /* out of memory */
- if (!is_init(tsk))
+ if (!is_global_init(tsk))
    goto out;

```

```

/*

```

Index: lx26-21-mm2/arch/i386/lib/usercopy.c

```

=====
--- lx26-21-mm2.orig/arch/i386/lib/usercopy.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/i386/lib/usercopy.c 2007-05-22 16:59:46.000000000 -0700
@@ -748,7 +748,7 @@ survive:
    retval = get_user_pages(current, current->mm,
        (unsigned long)to, 1, 1, 0, &pg, NULL);

```

```

- if (retval == -ENOMEM && is_init(current)) {
+ if (retval == -ENOMEM && is_global_init(current)) {
    up_read(&current->mm->mmap_sem);
    congestion_wait(WRITE, HZ/50);
    goto survive;

```

Index: lx26-21-mm2/arch/i386/mm/fault.c

```

=====
--- lx26-21-mm2.orig/arch/i386/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/i386/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -576,7 +576,7 @@ no_context:
    */

```

```

out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(tsk)) {
+ if (is_global_init(tsk)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;

```

Index: lx26-21-mm2/arch/ia64/mm/fault.c

```

=====
--- lx26-21-mm2.orig/arch/ia64/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/ia64/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -279,7 +279,7 @@ ia64_do_page_fault (unsigned long addr

```

```

    out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;

```

Index: lx26-21-mm2/arch/m32r/mm/fault.c

```

=====
--- lx26-21-mm2.orig/arch/m32r/mm/fault.c 2007-05-22 16:58:38.000000000 -0700

```

+++ lx26-21-mm2/arch/m32r/mm/fault.c 2007-05-22 16:59:46.000000000 -0700

@@ -272,7 +272,7 @@ no_context:

*/

out_of_memory:

up_read(&mm->mmap_sem);

- if (is_init(tsk)) {

+ if (is_global_init(tsk)) {

yield();

down_read(&mm->mmap_sem);

goto survive;

Index: lx26-21-mm2/arch/m68k/mm/fault.c

--- lx26-21-mm2.orig/arch/m68k/mm/fault.c 2007-05-22 16:58:38.000000000 -0700

+++ lx26-21-mm2/arch/m68k/mm/fault.c 2007-05-22 16:59:46.000000000 -0700

@@ -181,7 +181,7 @@ good_area:

*/

out_of_memory:

up_read(&mm->mmap_sem);

- if (is_init(current)) {

+ if (is_global_init(current)) {

yield();

down_read(&mm->mmap_sem);

goto survive;

Index: lx26-21-mm2/arch/mips/mm/fault.c

--- lx26-21-mm2.orig/arch/mips/mm/fault.c 2007-05-22 16:58:38.000000000 -0700

+++ lx26-21-mm2/arch/mips/mm/fault.c 2007-05-22 16:59:46.000000000 -0700

@@ -174,7 +174,7 @@ no_context:

*/

out_of_memory:

up_read(&mm->mmap_sem);

- if (is_init(tsk)) {

+ if (is_global_init(tsk)) {

yield();

down_read(&mm->mmap_sem);

goto survive;

Index: lx26-21-mm2/arch/powerpc/kernel/traps.c

--- lx26-21-mm2.orig/arch/powerpc/kernel/traps.c 2007-05-22 16:58:38.000000000 -0700

+++ lx26-21-mm2/arch/powerpc/kernel/traps.c 2007-05-22 16:59:46.000000000 -0700

@@ -190,7 +190,7 @@ void _exception(int signr, struct pt_reg

* generate the same exception over and over again and we get

* nowhere. Better to kill it and let the kernel panic.

*/

- if (is_init(current)) {

+ if (is_global_init(current)) {

__sighandler_t handler;

```
spin_lock_irq(&current->sigband->siglock);
Index: lx26-21-mm2/arch/powerpc/mm/fault.c
```

```
=====
--- lx26-21-mm2.orig/arch/powerpc/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/powerpc/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -374,7 +374,7 @@ bad_area_nosemaphore:
    */
```

```
out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;
```

```
Index: lx26-21-mm2/arch/powerpc/platforms/pseries/ras.c
```

```
=====
--- lx26-21-mm2.orig/arch/powerpc/platforms/pseries/ras.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/powerpc/platforms/pseries/ras.c 2007-05-22 16:59:46.000000000 -0700
@@ -332,7 +332,7 @@ static int recover_mce(struct pt_regs *r
    err->disposition == RTAS_DISP_NOT_RECOVERED &&
    err->target == RTAS_TARGET_MEMORY &&
    err->type == RTAS_TYPE_ECC_UNCORR &&
-    !(current->pid == 0 || is_init(current))) {
+    !(current->pid == 0 || is_global_init(current))) {
    /* Kill off a user process with an ECC error */
    printk(KERN_ERR "MCE: uncorrectable ecc error for pid %d\n",
           current->pid);
```

```
Index: lx26-21-mm2/arch/ppc/kernel/traps.c
```

```
=====
--- lx26-21-mm2.orig/arch/ppc/kernel/traps.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/ppc/kernel/traps.c 2007-05-22 16:59:46.000000000 -0700
@@ -120,7 +120,7 @@ void _exception(int signr, struct pt_reg
    * generate the same exception over and over again and we get
    * nowhere. Better to kill it and let the kernel panic.
    */
- if (is_init(current)) {
+ if (is_global_init(current)) {
    __sigband_t handler;
```

```
spin_lock_irq(&current->sigband->siglock);
Index: lx26-21-mm2/arch/ppc/mm/fault.c
```

```
=====
--- lx26-21-mm2.orig/arch/ppc/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/ppc/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -291,7 +291,7 @@ bad_area:
    */
out_of_memory:
    up_read(&mm->mmap_sem);
```

```
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;
```

Index: lx26-21-mm2/arch/s390/lib/uaccess_pt.c

```
=====
--- lx26-21-mm2.orig/arch/s390/lib/uaccess_pt.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/s390/lib/uaccess_pt.c 2007-05-22 16:59:46.000000000 -0700
@@ -65,7 +65,7 @@ out:
```

```
out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;
```

Index: lx26-21-mm2/arch/s390/mm/fault.c

```
=====
--- lx26-21-mm2.orig/arch/s390/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/s390/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -211,7 +211,7 @@ static int do_out_of_memory(struct pt_re
    struct mm_struct *mm = tsk->mm;
```

```
    up_read(&mm->mmap_sem);
- if (is_init(tsk)) {
+ if (is_global_init(tsk)) {
    yield();
    down_read(&mm->mmap_sem);
    return 1;
```

Index: lx26-21-mm2/arch/sh/mm/fault.c

```
=====
--- lx26-21-mm2.orig/arch/sh/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/sh/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -233,7 +233,7 @@ no_context:
    */
```

```
out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;
```

Index: lx26-21-mm2/arch/sh64/mm/fault.c

```
=====
--- lx26-21-mm2.orig/arch/sh64/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/sh64/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
```

```

@@ -276,7 +276,7 @@ bad_area:
    show_regs(regs);
#endif
}
- if (is_init(tsk)) {
+ if (is_global_init(tsk)) {
    panic("INIT had user mode bad_area\n");
}
    tsk->thread.address = address;
@@ -318,14 +318,14 @@ no_context:
    * us unable to handle the page fault gracefully.
    */
out_of_memory:
- if (is_init(current)) {
+ if (is_global_init(current)) {
    panic("INIT out of memory\n");
    yield();
    goto survive;
}
    printk("fault:Out of memory\n");
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;
Index: lx26-21-mm2/arch/um/kernel/trap.c

```

```

=====
--- lx26-21-mm2.orig/arch/um/kernel/trap.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/um/kernel/trap.c 2007-05-22 16:59:46.000000000 -0700
@@ -120,7 +120,7 @@ out_nosemaphore:
    * us unable to handle the page fault gracefully.
    */

```

```

out_of_memory:
- if (is_init(current)) {
+ if (is_global_init(current)) {
    up_read(&mm->mmap_sem);
    yield();
    down_read(&mm->mmap_sem);
Index: lx26-21-mm2/arch/x86_64/mm/fault.c

```

```

=====
--- lx26-21-mm2.orig/arch/x86_64/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/x86_64/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -223,7 +223,7 @@ static int is_errata93(struct pt_regs *r

```

```

int unhandled_signal(struct task_struct *tsk, int sig)
{
- if (is_init(tsk))

```

```
+ if (is_global_init(tsk))
    return 1;
if (tsk->ptrace & PT_PTRACED)
    return 0;
@@ -557,7 +557,7 @@ no_context:
    */
```

```
out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    goto again;
}
```

Index: lx26-21-mm2/arch/xtensa/mm/fault.c

```
=====
--- lx26-21-mm2.orig/arch/xtensa/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/xtensa/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -144,7 +144,7 @@ bad_area:
    */
```

```
out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
    goto survive;
```

Index: lx26-21-mm2/drivers/char/sysrq.c

```
=====
--- lx26-21-mm2.orig/drivers/char/sysrq.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/drivers/char/sysrq.c 2007-05-22 16:59:46.000000000 -0700
@@ -250,7 +250,7 @@ static void send_sig_all(int sig)
    struct task_struct *p;
```

```
    for_each_process(p) {
- if (p->mm && !is_init(p))
+ if (p->mm && !is_global_init(p))
    /* Not swapper, init nor kernel thread */
    force_sig(sig, p);
    }
```

Index: lx26-21-mm2/include/linux/sched.h

```
=====
--- lx26-21-mm2.orig/include/linux/sched.h 2007-05-22 16:59:44.000000000 -0700
+++ lx26-21-mm2/include/linux/sched.h 2007-05-22 16:59:46.000000000 -0700
@@ -1171,16 +1171,9 @@ static inline int pid_alive(struct task_
    return p->pids[PIDTYPE_PID].pid != NULL;
}
```

./**


```

- * is_init - check if a task structure is init
- * @tsk: Task structure to be checked.
- *
- * Check if a task structure is the first user space task the kernel created.
- */

```

```

-static inline int is_init(struct task_struct *tsk)
-{
- return tsk->pid == 1;
-}
+struct pid_namespace;
+extern int is_global_init(struct task_struct *tsk);
+extern int is_container_init(struct task_struct *tsk);

```

```
extern struct pid *cad_pid;
```

Index: lx26-21-mm2/kernel/capability.c

```

=====
--- lx26-21-mm2.orig/kernel/capability.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/kernel/capability.c 2007-05-22 16:59:46.000000000 -0700
@@ -12,6 +12,7 @@
#include <linux/module.h>
#include <linux/security.h>
#include <linux/syscalls.h>
+#include <linux/pid_namespace.h>
#include <asm/uaccess.h>

unsigned securebits = SECUREBITS_DEFAULT; /* systemwide security settings */
@@ -135,7 +136,7 @@ static inline int cap_set_all(kernel_cap
    int found = 0;

    do_each_thread(g, target) {
-       if (target == current || is_init(target))
+       if (target == current || is_container_init(target))
            continue;
        found = 1;
        if (security_capset_check(target, effective, inheritable,

```

Index: lx26-21-mm2/kernel/exit.c

```

=====
--- lx26-21-mm2.orig/kernel/exit.c 2007-05-22 16:59:42.000000000 -0700
+++ lx26-21-mm2/kernel/exit.c 2007-05-22 16:59:46.000000000 -0700
@@ -230,7 +230,7 @@ static int will_become_orphaned_pgrp(str
    do_each_pid_task(pgrp, PIDTYPE_PGID, p) {
        if (p == ignored_task
            || p->exit_state
-           || is_init(p->real_parent))
+           || is_global_init(p->real_parent))
            continue;
        if (task_pgrp(p->real_parent) != pgrp &&

```

```
task_session(p->real_parent) == task_session(p)) {
```

```
Index: lx26-21-mm2/kernel/kexec.c
```

```
=====
--- lx26-21-mm2.orig/kernel/kexec.c 2007-05-22 16:58:38.000000000 -0700
```

```
+++ lx26-21-mm2/kernel/kexec.c 2007-05-22 16:59:46.000000000 -0700
```

```
@@ -42,7 +42,7 @@ struct resource crashk_res = {
```

```
int kexec_should_crash(struct task_struct *p)
```

```
{
```

```
- if (in_interrupt() || !p->pid || is_init(p) || panic_on_oops)
```

```
+ if (in_interrupt() || !p->pid || is_global_init(p) || panic_on_oops)
```

```
    return 1;
```

```
    return 0;
```

```
}
```

```
Index: lx26-21-mm2/kernel/sysctl.c
```

```
=====
--- lx26-21-mm2.orig/kernel/sysctl.c 2007-05-22 16:59:41.000000000 -0700
```

```
+++ lx26-21-mm2/kernel/sysctl.c 2007-05-22 16:59:46.000000000 -0700
```

```
@@ -1730,7 +1730,7 @@ int proc_dointvec_bset(ctl_table *table,
```

```
    return -EPERM;
```

```
}
```

```
- op = is_init(current) ? OP_SET : OP_AND;
```

```
+ op = is_global_init(current) ? OP_SET : OP_AND;
```

```
    return do_proc_dointvec(table, write, filp, buffer, lenp, ppos,
```

```
        do_proc_dointvec_bset_conv, &op);
```

```
}
```

```
Index: lx26-21-mm2/mm/oom_kill.c
```

```
=====
--- lx26-21-mm2.orig/mm/oom_kill.c 2007-05-22 16:58:38.000000000 -0700
```

```
+++ lx26-21-mm2/mm/oom_kill.c 2007-05-22 16:59:46.000000000 -0700
```

```
@@ -222,7 +222,7 @@ static struct task_struct *select_bad_pr
```

```
    if (!p->mm)
```

```
        continue;
```

```
    /* skip the init task */
```

```
- if (is_init(p))
```

```
+ if (is_global_init(p))
```

```
    continue;
```

```
/*
```

```
@@ -275,7 +275,7 @@ static struct task_struct *select_bad_pr
```

```
*/
```

```
static void __oom_kill_task(struct task_struct *p, int verbose)
```

```
{
```

```
- if (is_init(p)) {
```

```
+ if (is_global_init(p)) {
```

```
    WARN_ON(1);
```

```
    printk(KERN_WARNING "tried to kill init!\n");
```

```
return;
Index: lx26-21-mm2/security/commoncap.c
```

```
=====
--- lx26-21-mm2.orig/security/commoncap.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/security/commoncap.c 2007-05-22 16:59:46.000000000 -0700
@@ -306,7 +306,7 @@ void cap_bprm_apply_creds (struct linux_
/* For init, we want to retain the capabilities set
 * in the init_task struct. Thus we skip the usual
 * capability rules */
- if (!is_init(current)) {
+ if (!is_global_init(current)) {
    current->cap_permitted = new_permitted;
    current->cap_effective =
        cap_intersect (new_permitted, bprm->cap_effective);
```

```
Index: lx26-21-mm2/arch/avr32/kernel/traps.c
```

```
=====
--- lx26-21-mm2.orig/arch/avr32/kernel/traps.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/avr32/kernel/traps.c 2007-05-22 16:59:46.000000000 -0700
@@ -88,7 +88,7 @@ void _exception(long signr, struct pt_re
 * generate the same exception over and over again and we get
 * nowhere. Better to kill it and let the kernel panic.
 */
- if (is_init(current)) {
+ if (is_global_init(current)) {
    __sighandler_t handler;

    spin_lock_irq(&current->sighand->siglock);
```

```
Index: lx26-21-mm2/arch/avr32/mm/fault.c
```

```
=====
--- lx26-21-mm2.orig/arch/avr32/mm/fault.c 2007-05-22 16:58:38.000000000 -0700
+++ lx26-21-mm2/arch/avr32/mm/fault.c 2007-05-22 16:59:46.000000000 -0700
@@ -173,7 +173,7 @@ bad_area:
    if (exception_trace)
        printk("%s%s[%d]: segfault at %08lx pc %08lx "
            "sp %08lx ecr %lu\n",
-        is_init(tsk) ? KERN_EMERG : KERN_INFO,
+        is_global_init(tsk) ? KERN_EMERG : KERN_INFO,
        tsk->comm, tsk->pid, address, regs->pc,
        regs->sp, ecr);
    _exception(SIGSEGV, regs, code, address);
@@ -222,7 +222,7 @@ no_context:
 */
out_of_memory:
    up_read(&mm->mmap_sem);
- if (is_init(current)) {
+ if (is_global_init(current)) {
    yield();
    down_read(&mm->mmap_sem);
```

```

goto survive;
@@ -244,7 +244,7 @@ do_sigbus:
if (exception_trace)
    printk("%s%s[%d]: bus error at %08lx pc %08lx "
           "sp %08lx ecr %lu\n",
-       is_init(tsk) ? KERN_EMERG : KERN_INFO,
+       is_global_init(tsk) ? KERN_EMERG : KERN_INFO,
        tsk->comm, tsk->pid, address, regs->pc,
        regs->sp, ecr);

```

Index: lx26-21-mm2/kernel/pid.c

```

=====
--- lx26-21-mm2.orig/kernel/pid.c 2007-05-22 16:59:34.000000000 -0700
+++ lx26-21-mm2/kernel/pid.c 2007-05-22 16:59:46.000000000 -0700
@@ -71,6 +71,27 @@ struct pid_namespace init_pid_ns = {
    .child_reaper = &init_task
};

+
+/**
+ * is_global_init - check if a task structure is init
+ * @tsk: Task structure to be checked.
+ *
+ * Check if a task structure is the first user space task the kernel created.
+ */
+int is_global_init(struct task_struct *tsk)
+{
+    return (task_active_pid_ns(tsk) == &init_pid_ns && tsk->pid == 1);
+}
+
+/**
+ * is_container_init:
+ * check whether in the task is init in it's own pid namespace.
+ */
+int is_container_init(struct task_struct *tsk)
+{
+    return tsk->pid == 1;
+}
+
+/*
+ * Note: disable interrupts while the pidmap_lock is held as an
+ * interrupt might come in and do read_lock(&tasklist_lock).

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
