
Subject: Re: Re: nptl perf bench and profiling with pidns patchsets

Posted by [Cedric Le Goater](#) on Mon, 04 Jun 2007 14:17:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Pavel Emelianov wrote:

> Serge E. Hallyn wrote:

>> Quoting Kirill Korotaev (dev@sw.ru):

>>> Cedric,

>>>

>>> just a small note.

>>> imho it is not correct to check performance with enabled debug in memory allocator

>>> since it can influence cache efficiency much.

>>> In you case looks like you have DEBUG_SLAB enabled.

>> Hm, good point. Cedric, did you ever run any tests with profiling and

>> debugging turned off?

>

> I'd like to add that the results-for-comparison have to be run

> with profiler turned off. Further, if we need to know what the

> bottleneck is, the profiler is on, but the numbers get are not

> trusted.

>

> Cedric, may I ask you to rerun the tests with both the debug and

> the profiler turned off and report the results again?

sure. let me do all debug=off first because i'm interested in some figures.

so what do you think of the nptl perf benchmark to evaluate our progress ?

C.

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
