

---

Subject: [PATCH] Module for ip utility to support veth device (v.2)

Posted by [Pavel Emelianov](#) on Thu, 07 Jun 2007 11:16:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The usage is

```
# ip link add [name] type veth [peer <name>] [mac <mac>] [peer_mac <mac>]
```

This version doesn't include the fix for ip/iplink.c as Patrick said that he had included it into his patches already.

Signed-off-by: Pavel Emelianov <xemul@openvz.org>

---

```
diff --git a/ip/Makefile b/ip/Makefile
index 9a5bfe3..b46bce3 100644
--- a/ip/Makefile
+++ b/ip/Makefile
@@ -8,8 +8,9 @@ RTMONOBJ=rtmon.o
ALLOBJ=$(IPOBJ) $(RTMONOBJ)
SCRIPTS=ifcfg rpr routel routef
TARGETS=ip rtmon
+LIBS=link_veth.so
```

```
-all: $(TARGETS) $(SCRIPTS)
+all: $(TARGETS) $(SCRIPTS) $(LIBS)
```

```
ip: $(IPOBJ) $(LIBNETLINK) $(LIBUTIL)
```

```
@@ -24,3 +25,6 @@ clean:
```

```
LDLIBS += -ldl
LDLFLAGS += -Wl,-export-dynamic
+
+%.so: %.c
+ $(CC) $(CFLAGS) -shared $< -o $@
diff --git a/ip/link_veth.c b/ip/link_veth.c
new file mode 100644
index 0000000..f2e4079
--- /dev/null
+++ b/ip/link_veth.c
@@ -0,0 +1,86 @@
+/*
+ * ip/link_veth.c
+ *
+ * Virtual Ethernet tunnel support.
+ *
+ * Author: Pavel Emelianov <xemul@openvz.org>
```

```

+ */
+
+#include <stdio.h>
+#include <string.h>
+
+#include "utils.h"
+#include "ip_common.h"
+#include "veth.h"
+
+#define ETH_ALEN 6
+
+static void usage(void)
+{
+ printf("Usage: ip link add ... "
+ "[peer <peer-name>] [mac <mac>] [peer_mac <mac>]\n");
+}
+
+static int veth_parse_opt(struct link_util *lu, int argc, char **argv,
+ struct nlmsg_hdr *hdr)
+{
+ __u8 mac[ETH_ALEN];
+
+ for (; argc != 0; argv++, argc--) {
+ if (strcmp(*argv, "peer") == 0) {
+ argv++;
+ argc--;
+ if (argc == 0) {
+ usage();
+ return -1;
+ }
+
+ addattr_l(hdr, 1024, VETH_INFO_PEER,
+ *argv, strlen(*argv));
+
+ continue;
+ }
+
+ if (strcmp(*argv, "mac") == 0) {
+ argv++;
+ argc--;
+ if (argc == 0) {
+ usage();
+ return -1;
+ }
+
+ if (hexstring_a2n(*argv, mac, sizeof(mac)) == NULL)
+ return -1;
+ }
+ }
+ }

```

```

+ addattr_l(hdr, 1024, VETH_INFO_MAC,
+ mac, ETH_ALEN);
+ continue;
+ }
+
+ if (strcmp(*argv, "peer_mac") == 0) {
+ argv++;
+ argc--;
+ if (argc == 0) {
+ usage();
+ return -1;
+ }
+
+ if (hexstring_a2n(*argv, mac, sizeof(mac)) == NULL)
+ return -1;
+
+ addattr_l(hdr, 1024, VETH_INFO_PEER_MAC,
+ mac, ETH_ALEN);
+ continue;
+ }
+
+ usage();
+ return -1;
+ }
+
+ return 0;
+}
+
+struct link_util veth_link_util = {
+ .id = "veth",
+ .parse_opt = veth_parse_opt,
+};
diff --git a/ip/veth.h b/ip/veth.h
new file mode 100644
index 0000000..d52e0c5
--- /dev/null
+++ b/ip/veth.h
@@ -0,0 +1,15 @@
+#ifndef __NET_VETH_H__
+#define __NET_VETH_H__
+
+enum {
+ VETH_INFO_UNSPEC,
+ VETH_INFO_MAC,
+ VETH_INFO_PEER,
+ VETH_INFO_PEER_MAC,
+
+ __VETH_INFO_MAX

```

```
+};  
+  
+#define VETH_INFO_MAX (__VETH_INFO_MAX - 1)  
+  
+#endif
```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---