
Subject: [PATCH 18/28] [FLAT 3/6] Flush dentries from the namespace's proc tree
Posted by [Pavel Emelianov](#) on Fri, 15 Jun 2007 16:18:30 GMT
[View Forum Message](#) <[Reply to Message](#)

This is the implementation of [PREP 7/14] for the flat model

Signed-off-by: Pavel Emelianov <xemul@openvz.org>

base.c | 7 +++++++
1 files changed, 7 insertions(+)

```
--- ./fs/proc/base.c.flatflush 2007-06-15 15:04:18.000000000 +0400
+++ ./fs/proc/base.c 2007-06-15 15:23:33.000000000 +0400
@@ -2240,6 +2240,13 @@ static inline void proc_flush_task_ns(st
{
}
#else
+#ifdef CONFIG_PID_NS_FLAT
+static inline void proc_flush_task_ns(struct task_struct *tsk, struct pid *pid)
+{
+ if (pid->ns != &init_pid_ns)
+ proc_flush_task_mnt(tsk, pid->ns->proc_mnt);
+}
+#endif
#endif

void proc_flush_task(struct task_struct *task, struct pid *pid)
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
