

---

Subject: Re: Re: [PATCH 13/28] [PREP 13/14] Miscellaneous preparations in pid namespaces

Posted by [Pavel Emelianov](#) on Fri, 22 Jun 2007 01:27:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

sukadev@us.ibm.com wrote:

> Pavel Emelianov [xemul@openvz.org] wrote:

> | The most important one is moving exit\_task\_namespaces behind exit\_notify

> | in do\_exit() to make it possible to see the task's pid namespace to

> | properly notify the parent.

>

> Hmm. I think we tried this once a few months ago and got a crash in nfsd

> See <http://lkml.org/lkml/2007/1/17/75>

>

> [

> [

> [

> [

> [

> [

> [

> // exit\_task\_namespaces() after returning from exit\_notify()

> [

> [

> [

>

> exit\_notify() sets current->sighand to NULL and I think lockd\_down() called

> from exit\_task\_namespaces/\_\_put\_mnt\_ns() was accessing current->sighand.

OK. I've got it. That's easy - no need to give up the nsproxy->pid\_ns.

I will show it in the next patches. Hope to send them today.

Thank

> Do your other patches in this set tweak something to prevent it ?

>

> Thats one of the reasons we had to remove pid\_ns from nsproxy and use

> the pid\_ns from pid->upid\_list[i]->pid\_ns.

>

> Suka

>

> Containers mailing list

> Containers@lists.linux-foundation.org

> <https://lists.linux-foundation.org/mailman/listinfo/containers>

>

---

Containers mailing list

Containers@lists.linux-foundation.org

