
Subject: Re: [patch -rss] Make RSS accounting display more user friendly

Posted by [dev](#) on Tue, 26 Jun 2007 14:05:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Balbir Singh wrote:

> Kirill Korotaev wrote:

>

>>Paul Menage wrote:

>>

>>>On 6/22/07, Balbir Singh <balbir@linux.vnet.ibm.com> wrote:

>>>

>>>

>>>>The problem with input in bytes is that the user will have to ensure

>>>>that the input is

>>>>a multiple of page size, which implies that she would need to use the

>>>>calculator every time.

>>>>

>>>

>>>Having input in bytes seems pretty natural to me. Why not just have

>>>the RSS controller round the input to the nearest page (or whatever

>>>granularity of memory the controller is able to limit at)?

>>

>>totally agree with Paul.

>>

>>Kirill

>>

>

> Kirill

>

> If someone assigns a rss_limit of 1 byte and sees a usage of 1 page,

> won't that be confusing. But having said that it's not a big

> change, it should be easy to accommodate.

Well, from my experience pages are hardly understandable by people.

So bytes are always better and more convenient for non-programmers.

Rounding is not that big issue, since people still get the result

they expect (unlike to the case when they mess up with the page size).

Thanks,

Kirill

P.S. 1 byte limit is not that common :)

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
