
Subject: [-mm PATCH 5/8] Memory controller task migration (v2)

Posted by [Balbir Singh](#) on Fri, 06 Jul 2007 05:21:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Allow tasks to migrate from one container to the other. We migrate mm_struct's mem_container only when the thread group id migrates.

Signed-off-by: Balbir Singh <balbir@linux.vnet.ibm.com>

mm/memcontrol.c | 35 ++++++
1 file changed, 35 insertions(+)

```
diff -puN mm/memcontrol.c~mem-control-task-migration mm/memcontrol.c
--- linux-2.6.22-rc6/mm/memcontrol.c~mem-control-task-migration 2007-07-05
13:45:18.000000000 -0700
+++ linux-2.6.22-rc6-balbir/mm/memcontrol.c 2007-07-05 13:45:18.000000000 -0700
@@ -302,11 +302,46 @@ err:
     return rc;
 }
```

```
+static void mem_container_move_task(struct container_subsys *ss,
+ struct container *cont,
+ struct container *old_cont,
+ struct task_struct *p)
+{
+ struct mm_struct *mm;
+ struct mem_container *mem, *old_mem;
+
+ mm = get_task_mm(p);
+ if (mm == NULL)
+ return;
+
+ mem = mem_container_from_cont(cont);
+ old_mem = mem_container_from_cont(old_cont);
+
+ if (mem == old_mem)
+ goto out;
+
+ /*
+ * Only thread group leaders are allowed to migrate, the mm_struct is
+ * in effect owned by the leader
+ */
+ if (p->tgid != p->pid)
+ goto out;
+
+ css_get(&mem->css);
```

```
+ rcu_assign_pointer(mm->mem_container, mem);
+ css_put(&old_mem->css);
+
+out:
+ mmput(mm);
+ return;
+}
+
struct container_subsys mem_container_subsys = {
    .name = "mem_container",
    .subsys_id = mem_container_subsys_id,
    .create = mem_container_create,
    .destroy = mem_container_destroy,
    .populate = mem_container_populate,
+ .attach = mem_container_move_task,
    .early_init = 1,
};
```

—

--

Warm Regards,
Balbir Singh
Linux Technology Center
IBM, ISTL

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
