
Subject: [PATCH 3/5] Use task_pid() to find leader's pid
Posted by [Sukadev Bhattiprolu](#) on Sun, 15 Jul 2007 04:57:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: [PATCH 3/5] Use task_pid() to find leader's pid

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Use task_pid() to get leader's pid since find_pid() cannot be used after detach_pid(). See comments in the code below for more details.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Acked-by: Pavel Emelianov <xemul@openvz.org>

Cc: Eric W. Biederman <ebiederm@xmission.com>

Cc: Cedric Le Goater <cld@fr.ibm.com>

Cc: Dave Hansen <haveblue@us.ibm.com>

Cc: Serge Hallyn <serue@us.ibm.com>

Cc: Herbert Poetzel <herbert@13thfloor.at>

fs/exec.c | 9 +++++++-

1 file changed, 8 insertions(+), 1 deletion(-)

Index: lx26-22-rc6-mm1/fs/exec.c

```
--- lx26-22-rc6-mm1.orig/fs/exec.c 2007-07-13 13:12:01.000000000 -0700
```

```
+++ lx26-22-rc6-mm1/fs/exec.c 2007-07-13 13:12:13.000000000 -0700
```

```
@@ -905,10 +905,17 @@ static int de_thread(struct task_struct
```

```
* The old leader becomes a thread of the this thread group.
```

```
* Note: The old leader also uses this pid until release_task
```

```
*      is called. Odd but simple and correct.
```

```
+ * Note: With multiple pid namespaces, active pid namespace of
```

```
+ * a process is stored in its struct pid. The detach_pid
```

```
+ * below frees the struct pid, so we will have no notion
```

```
+ * of an active pid namespace until we complete the
```

```
+ * subsequent attach_pid(). Which means - calls like
```

```
+ * find_pid()/pid_to_nr() return NULL and cannot be used
```

```
+ * between the detach_pid() and attach_pid() calls.
```

```
*/
```

```
detach_pid(tsk, PIDTYPE_PID);
```

```
tsk->pid = leader->pid;
```

```
- attach_pid(tsk, PIDTYPE_PID, find_pid(tsk->pid));
```

```
+ attach_pid(tsk, PIDTYPE_PID, task_pid(leader));
```

```
transfer_pid(leader, tsk, PIDTYPE_PPID);
```

```
transfer_pid(leader, tsk, PIDTYPE_SID);
```

```
list_replace_rcu(&leader->tasks, &tsk->tasks);
```

Containers mailing list

Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
