

---

Subject: [PATCH 3/5] [V2] Use task\_pid() to find leader's pid  
Posted by [Sukadev Bhattiprolu](#) on Thu, 19 Jul 2007 07:20:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Subject: [PATCH 3/5] Use task\_pid() to find leader's pid

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Use task\_pid() to get leader's 'struct pid' and avoid the find\_pid().

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Acked-by: Pavel Emelianov <xemul@openvz.org>

Cc: Eric W. Biederman <ebiederm@xmission.com>

Cc: Cedric Le Goater <clg@fr.ibm.com>

Cc: Dave Hansen <haveblue@us.ibm.com>

Cc: Serge Hallyn <serue@us.ibm.com>

Cc: Herbert Poetzel <herbert@13thfloor.at>

---

fs/exec.c | 2 +-  
1 file changed, 1 insertion(+), 1 deletion(-)

Index: lx26-22-rc6-mm1a/fs/exec.c

```
=====
--- lx26-22-rc6-mm1a.orig/fs/exec.c 2007-07-13 18:23:55.000000000 -0700
+++ lx26-22-rc6-mm1a/fs/exec.c 2007-07-16 12:56:22.000000000 -0700
@@ -908,7 +908,7 @@ static int de_thread(struct task_struct
 */
detach_pid(tsk, PIDTYPE_PID);
tsk->pid = leader->pid;
- attach_pid(tsk, PIDTYPE_PID, find_pid(tsk->pid));
+ attach_pid(tsk, PIDTYPE_PID, task_pid(leader));
transfer_pid(leader, tsk, PIDTYPE_PGID);
transfer_pid(leader, tsk, PIDTYPE_SID);
list_replace_rcu(&leader->tasks, &tsk->tasks);
```

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---