

---

Subject: Re: [RFC][mm PATCH 3/8] Memory controller accounting setup (v3)

Posted by [Paul Menage](#) on Fri, 20 Jul 2007 20:39:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On 7/20/07, Paul Menage <menage@google.com> wrote:

> On 7/20/07, Balbir Singh <balbir@linux.vnet.ibm.com> wrote:

> > + mem = mem\_container\_from\_cont(task\_container(p,

> > + mem\_container\_subsys\_id));

> > + css\_get(&mem->css);

>

> The container framework won't try to free a subsystem's root container

> state, so this isn't needed.

Sorry, this was a reply to the wrong patch hunk.

The `css_get()` in `mem_container_create()` is the unnecessary one.

Also, rather than doing something like:

```
mem_container_from_cont(task_container(p, mem_container_subsys_id))
```

you'd be better off defining a similar wrapper to

`mem_container_from_cont()` called `mem_container_from_task()` that uses

`task_subsys_state()` rather than `container_subsys_state()` - you'll save

a few indirections.

Paul

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---