

---

Subject: Re: {get|set}sockopt compat layer  
Posted by [Mishin Dmitry](#) on Thu, 09 Mar 2006 10:23:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello, Arnd!

> For the compat\_ioctl stuff, we don't have the function pointer inside an  
> #ifdef, the overhead is relatively small since there is only one of these  
> structures per module implementing a protocol, but it avoids having to  
> rebuild everything when changing CONFIG\_COMPAT.  
>  
> It's probably not a big issue either way, maybe davem has a stronger  
> opinion on it either way.  
>  
Done.

--

Thanks,  
Dmitry.

```
--- ./include/linux/net.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/linux/net.h 2006-03-09 12:58:53.000000000 +0300
@@ -149,6 +149,10 @@ struct proto_ops {
        int optname, char __user *optval, int optlen);
    int (*getsockopt)(struct socket *sock, int level,
                      int optname, char __user *optval, int __user *optlen);
+   int (*compat_setsockopt)(struct socket *sock, int level,
+                           int optname, char __user *optval, int optlen);
+   int (*compat_getsockopt)(struct socket *sock, int level,
+                           int optname, char __user *optval, int __user *optlen);
    int (*sendmsg) (struct kiocb *iocb, struct socket *sock,
                    struct msghdr *m, size_t total_len);
    int (*recvmsg) (struct kiocb *iocb, struct socket *sock,
--- ./include/linux/netfilter.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/linux/netfilter.h 2006-03-09 12:59:44.000000000 +0300
@@ -80,10 +80,14 @@ struct nf_sockopt_ops
    int set_optmin;
    int set_optmax;
    int (*set)(struct sock *sk, int optval, void __user *user, unsigned int len);
+   int (*compat_set)(struct sock *sk, int optval,
+                     void __user *user, unsigned int len);

    int get_optmin;
    int get_optmax;
    int (*get)(struct sock *sk, int optval, void __user *user, int *len);
+   int (*compat_get)(struct sock *sk, int optval,
+                     void __user *user, int *len);
```

```

/* Number of users inside set() or get(). */
unsigned int use;
@@ -246,6 +250,11 @@ int nf_setsockopt(struct sock *sk, int p
int nf_getsockopt(struct sock *sk, int pf, int optval, char __user *opt,
    int *len);

+int compat_nf_setsockopt(struct sock *sk, int pf, int optval,
+    char __user *opt, int len);
+int compat_nf_getsockopt(struct sock *sk, int pf, int optval,
+    char __user *opt, int *len);
+
/* Packet queuing */
struct nf_queue_handler {
    int (*outfn)(struct sk_buff *skb, struct nf_info *info,
--- ./include/net/inet_connection_sock.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/net/inet_connection_sock.h 2006-03-09 12:59:58.000000000 +0300
@@ -50,6 +50,12 @@ struct inet_connection_sock_af_ops {
    char __user *optval, int optlen);
    int (*getsockopt)(struct sock *sk, int level, int optname,
        char __user *optval, int __user *optlen);
+    int (*compat_setsockopt)(struct sock *sk,
+        int level, int optname,
+        char __user *optval, int optlen);
+    int (*compat_getsockopt)(struct sock *sk,
+        int level, int optname,
+        char __user *optval, int __user *optlen);
    void (*addr2sockaddr)(struct sock *sk, struct sockaddr *);
    int sockaddr_len;
};
--- ./include/net/ip.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/net/ip.h 2006-03-09 13:00:15.000000000 +0300
@@ -356,6 +356,10 @@ extern void ip_cmsg_recv(struct msghdr *
extern int ip_cmsg_send(struct msghdr *msg, struct ipcm_cookie *ipc);
extern int ip_setsockopt(struct sock *sk, int level, int optname, char __user *optval, int optlen);
extern int ip_getsockopt(struct sock *sk, int level, int optname, char __user *optval, int __user *optlen);
+extern int compat_ip_setsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int optlen);
+extern int compat_ip_getsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int __user *optlen);
extern int ip_ra_control(struct sock *sk, unsigned char on, void (*destructor)(struct sock *));

extern int ip_recv_error(struct sock *sk, struct msghdr *msg, int len);
--- ./include/net/sctp/structs.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/net/sctp/structs.h 2006-03-09 13:00:36.000000000 +0300
@@ -514,6 +514,16 @@ struct sctp_af {
    int optname,
    char __user *optval,

```

```

    int __user *optlen);
+ int (*compat_setsockopt) (struct sock *sk,
+   int level,
+   int optname,
+   char __user *optval,
+   int optlen);
+ int (*compat_getsockopt) (struct sock *sk,
+   int level,
+   int optname,
+   char __user *optval,
+   int __user *optlen);
    struct dst_entry *(*get_dst) (struct sctp_association *asoc,
        union sctp_addr *daddr,
        union sctp_addr *saddr);
--- ./include/net/sock.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/net/sock.h 2006-03-09 13:01:10.000000000 +0300
@@ -520,6 +520,14 @@ struct proto {
    int (*getsockopt)(struct sock *sk, int level,
        int optname, char __user *optval,
        int __user *option);
+ int (*compat_setsockopt)(struct sock *sk,
+   int level,
+   int optname, char __user *optval,
+   int optlen);
+ int (*compat_getsockopt)(struct sock *sk,
+   int level,
+   int optname, char __user *optval,
+   int __user *option);
    int (*sendmsg)(struct kiocb *iocb, struct sock *sk,
        struct msghdr *msg, size_t len);
    int (*recvmsg)(struct kiocb *iocb, struct sock *sk,
@@ -816,6 +824,10 @@ extern int sock_common_recvmsg(struct ki
        struct msghdr *msg, size_t size, int flags);
extern int sock_common_setsockopt(struct socket *sock, int level, int optname,
    char __user *optval, int optlen);
+extern int compat_sock_common_getsockopt(struct socket *sock, int level,
+   int optname, char __user *optval, int __user *optlen);
+extern int compat_sock_common_setsockopt(struct socket *sock, int level,
+   int optname, char __user *optval, int optlen);

extern void sk_common_release(struct sock *sk);

--- ./include/net/tcp.h.compat 2006-03-09 12:57:53.000000000 +0300
+++ ./include/net/tcp.h 2006-03-09 13:02:50.000000000 +0300
@@ -347,6 +347,12 @@ extern int tcp_getsockopt(struct sock
extern int tcp_setsockopt(struct sock *sk, int level,
    int optname, char __user *optval,
    int optlen);

```

```

+extern int compat_tcp_getsockopt(struct sock *sk,
+    int level, int optname,
+    char __user *optval, int __user *optlen);
+extern int compat_tcp_setsockopt(struct sock *sk,
+    int level, int optname,
+    char __user *optval, int optlen);
extern void tcp_set_keepalive(struct sock *sk, int val);
extern int tcp_recvmsg(struct kiocb *iocb, struct sock *sk,
    struct msghdr *msg,
--- ./net/compat.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/compat.c 2006-03-09 12:58:23.000000000 +0300
@@ -416,7 +416,7 @@ struct compat_sock_fprog {
    compat_uptr_t filter; /* struct sock_filter */
};

-static int do_set_attach_filter(int fd, int level, int optname,
+static int do_set_attach_filter(struct socket *sock, int level, int optname,
    char __user *optval, int optlen)
{
    struct compat_sock_fprog __user *fprog32 = (struct compat_sock_fprog __user *)optval;
@@ -432,11 +432,12 @@ static int do_set_attach_filter(int fd,
    __put_user(compat_ptr(ptr), &kfprog->filter))
    return -EFAULT;

- return sys_setsockopt(fd, level, optname, (char __user *)kfprog,
+ return sock_setsockopt(sock, level, optname, (char __user *)kfprog,
    sizeof(struct sock_fprog));
}

-static int do_set_sock_timeout(int fd, int level, int optname, char __user *optval, int optlen)
+static int do_set_sock_timeout(struct socket *sock, int level,
+    int optname, char __user *optval, int optlen)
{
    struct compat_timeval __user *up = (struct compat_timeval __user *) optval;
    struct timeval ktime;
@@ -451,30 +452,61 @@ static int do_set_sock_timeout(int fd, i
    return -EFAULT;
    old_fs = get_fs();
    set_fs(KERNEL_DS);
- err = sys_setsockopt(fd, level, optname, (char *) &ktime, sizeof(ktime));
+ err = sock_setsockopt(sock, level, optname, (char *) &ktime, sizeof(ktime));
    set_fs(old_fs);

    return err;
}

+static int compat_sock_setsockopt(struct socket *sock, int level, int optname,
+    char __user *optval, int optlen)

```

```

+{
+ if (optname == SO_ATTACH_FILTER)
+ return do_set_attach_filter(sock, level, optname,
+     optval, optlen);
+ if (optname == SO_RCVTIMEO || optname == SO_SNDFTIMEO)
+ return do_set_sock_timeout(sock, level, optname, optval, optlen);
+
+ return sock_setsockopt(sock, level, optname, optval, optlen);
+}
+
asmlinkage long compat_sys_setsockopt(int fd, int level, int optname,
    char __user *optval, int optlen)
{
+ int err;
+ struct socket *sock;
+
/* SO_SET_REPLACE seems to be the same in all levels */
if (optname == IPT_SO_SET_REPLACE)
    return do_nfqueue_replace(fd, level, optname,
        optval, optlen);
- if (level == SOL_SOCKET && optname == SO_ATTACH_FILTER)
- return do_set_attach_filter(fd, level, optname,
-     optval, optlen);
- if (level == SOL_SOCKET &&
-     (optname == SO_RCVTIMEO || optname == SO_SNDFTIMEO))
- return do_set_sock_timeout(fd, level, optname, optval, optlen);

- return sys_setsockopt(fd, level, optname, optval, optlen);
+ if (optlen < 0)
+ return -EINVAL;
+
+ if ((sock = sockfd_lookup(fd, &err))!=NULL)
+ {
+     err = security_socket_setsockopt(sock, level, optname);
+     if (err) {
+         sockfd_put(sock);
+         return err;
+     }
+
+     if (level == SOL_SOCKET)
+         err = compat_sock_setsockopt(sock, level,
+             optname, optval, optlen);
+     else if (sock->ops->compat_setsockopt)
+         err = sock->ops->compat_setsockopt(sock, level,
+             optname, optval, optlen);
+     else
+         err = sock->ops->setsockopt(sock, level,
+             optname, optval, optlen);
+
}

```

```

+ sockfd_put(sock);
+ }
+ return err;
}

-static int do_get_sock_timeout(int fd, int level, int optname,
+static int do_get_sock_timeout(struct socket *sock, int level, int optname,
    char __user *optval, int __user *optlen)
{
    struct compat_timeval __user *up;
@@ -490,7 +522,7 @@ static int do_get_sock_timeout(int fd, i
    len = sizeof(ktime);
    old_fs = get_fs();
    set_fs(KERNEL_DS);
- err = sys_getsockopt(fd, level, optname, (char *) &ktime, &len);
+ err = sock_getsockopt(sock, level, optname, (char *) &ktime, &len);
    set_fs(old_fs);

    if (!err) {
@@ -503,15 +535,42 @@ static int do_get_sock_timeout(int fd, i
        return err;
    }

-asmlinkage long compat_sys_getsockopt(int fd, int level, int optname,
+static int compat_sock_getsockopt(struct socket *sock, int level, int optname,
    char __user *optval, int __user *optlen)
{
- if (level == SOL_SOCKET &&
-     (optname == SO_RCVTIMEO || optname == SO_SNDFTIMEO))
-     return do_get_sock_timeout(fd, level, optname, optval, optlen);
-     return sys_getsockopt(fd, level, optname, optval, optlen);
+ if (optname == SO_RCVTIMEO || optname == SO_SNDFTIMEO)
+     return do_get_sock_timeout(sock, level, optname, optval, optlen);
+     return sock_getsockopt(sock, level, optname, optval, optlen);
}

+asmlinkage long compat_sys_getsockopt(int fd, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ int err;
+ struct socket *sock;
+
+ if ((sock = sockfd_lookup(fd, &err))!=NULL)
+ {
+     err = security_socket_getsockopt(sock, level,
+         optname);
+     if (err) {
+         sockfd_put(sock);

```

```

+    return err;
+ }
+
+ if (level == SOL_SOCKET)
+     err = compat_sock_getsockopt(sock, level,
+         optname, optval, optlen);
+ else if (sock->ops->compat_getsockopt)
+     err = sock->ops->compat_getsockopt(sock, level,
+         optname, optval, optlen);
+ else
+     err = sock->ops->getsockopt(sock, level,
+         optname, optval, optlen);
+ sockfd_put(sock);
+ }
+ return err;
+}
/* Argument list sizes for compat_sys_socketcall */
#define AL(x) ((x) * sizeof(u32))
static unsigned char nas[18]={AL(0),AL(3),AL(3),AL(3),AL(2),AL(3),
--- ./net/core/sock.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/core/sock.c 2006-03-09 12:58:23.000000000 +0300
@@ -1385,6 +1385,20 @@ int sock_common_getsockopt(struct socket

```

EXPORT\_SYMBOL(sock\_common\_getsockopt);

```

+#ifdef CONFIG_COMPAT
+int compat_sock_common_getsockopt(struct socket *sock, int level,
+    int optname, char __user *optval, int __user *optlen)
+{
+    struct sock *sk = sock->sk;
+
+    if (sk->sk_prot->compat_setsockopt)
+        return sk->sk_prot->compat_getsockopt(sk, level,
+            optname, optval, optlen);
+    return sk->sk_prot->getsockopt(sk, level, optname, optval, optlen);
+}
+EXPORT_SYMBOL(compat_sock_common_getsockopt);
+#endif
+
int sock_common_recvmsg(struct kiocb *iocb, struct socket *sock,
    struct msghdr *msg, size_t size, int flags)
{
@@ -1414,6 +1428,20 @@ int sock_common_setsockopt(struct socket

```

EXPORT\_SYMBOL(sock\_common\_setsockopt);

```

+#ifdef CONFIG_COMPAT
+int compat_sock_common_setsockopt(struct socket *sock,

```

```

+ int level, int optname, char __user *optval, int optlen)
+{
+ struct sock *sk = sock->sk;
+
+ if (sk->sk_prot->compat_setsockopt)
+ return sk->sk_prot->compat_setsockopt(sk, level,
+ optname, optval, optlen);
+ return sk->sk_prot->setsockopt(sk, level, optname, optval, optlen);
+}
+EXPORT_SYMBOL(compat_sock_common_setsockopt);
+#endif
+
void sk_common_release(struct sock *sk)
{
    if (sk->sk_prot->destroy)
--- ./net/dccp/dccp.h.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/dccp/dccp.h 2006-03-09 12:58:23.000000000 +0300
@@ -246,6 +246,14 @@ extern int dccp_getsockopt(struct soc
    char __user *optval, int __user *optlen);
extern int dccp_setsockopt(struct sock *sk, int level, int optname,
    char __user *optval, int optlen);
+#ifdef CONFIG_COMPAT
+extern int compat_dccp_getsockopt(struct sock *sk,
+    int level, int optname,
+    char __user *optval, int __user *optlen);
+extern int compat_dccp_setsockopt(struct sock *sk,
+    int level, int optname,
+    char __user *optval, int optlen);
+#endif
extern int dccp_ioctl(struct sock *sk, int cmd, unsigned long arg);
extern int dccp_sendmsg(struct kiocb *iocb, struct sock *sk,
    struct msghdr *msg, size_t size);
--- ./net/dccp/ipv4.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/dccp/ipv4.c 2006-03-09 12:58:23.000000000 +0300
@@ -1028,6 +1028,10 @@ struct inet_connection_sock_af_ops dccp_
    .net_header_len = sizeof(struct iphdr),
    .setsockopt = ip_setsockopt,
    .getsockopt = ip_getsockopt,
+#ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_ip_setsockopt,
+    .compat_getsockopt = compat_ip_getsockopt,
+#endif
    .addr2sockaddr = inet_csk_addr2sockaddr,
    .sockaddr_len = sizeof(struct sockaddr_in),
};
@@ -1152,6 +1156,10 @@ struct proto dccp_prot = {
    .init = dccp_v4_init_sock,
    .setsockopt = dccp_setsockopt,

```

```

.getsockopt = dccp_getsockopt,
+ifdef CONFIG_COMPAT
+.compat_setsockopt = compat_dccp_setsockopt,
+.compat_getsockopt = compat_dccp_getsockopt,
+endif
.sendmsg = dccp_sendmsg,
.recvmsg = dccp_recvmsg,
.backlog_rcv = dccp_v4_do_rcv,
--- ./net/dccp/ipv6.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/dccp/ipv6.c 2006-03-09 12:58:23.000000000 +0300
@@ -1170,6 +1170,10 @@ static struct proto dccp_v6_prot = {
.init = dccp_v6_init_sock,
.setsockopt = dccp_setsockopt,
.getsockopt = dccp_getsockopt,
+ifdef CONFIG_COMPAT
+.compat_setsockopt = compat_dccp_setsockopt,
+.compat_getsockopt = compat_dccp_getsockopt,
+endif
.sendmsg = dccp_sendmsg,
.recvmsg = dccp_recvmsg,
.backlog_rcv = dccp_v6_do_rcv,
@@ -1207,6 +1211,10 @@ static struct proto_ops inet6_dccp_ops =
.shutdown = inet_shutdown,
.setsockopt = sock_common_setsockopt,
.getsockopt = sock_common_getsockopt,
+ifdef CONFIG_COMPAT
+.compat_setsockopt = compat_sock_common_setsockopt,
+.compat_getsockopt = compat_sock_common_getsockopt,
+endif
.sendmsg = inet_sendmsg,
.recvmsg = sock_common_recvmsg,
.mmap = sock_no_mmap,
--- ./net/dccp/proto.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/dccp/proto.c 2006-03-09 12:58:23.000000000 +0300
@@ -255,18 +255,13 @@ static int dccp_setsockopt_service(struct
    return 0;
}

-int dccp_setsockopt(struct sock *sk, int level, int optname,
-    char __user *optval, int optlen)
+static int do_dccp_setsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int optlen)
{
    struct dccp_sock *dp;
    int err;
    int val;

- if (level != SOL_DCCP)

```

```

- return inet_csk(sk)->icsk_af_ops->setsockopt(sk, level,
-         optname, optval,
-         optlen);
-
if (optlen < sizeof(int))
    return -EINVAL;

@@ -293,8 +288,34 @@ int dccp_setsockopt(struct sock *sk, int
    return err;
}

+int dccp_setsockopt(struct sock *sk, int level, int optname,
+        char __user *optval, int optlen)
+{
+ if (level != SOL_DCCP)
+     return inet_csk(sk)->icsk_af_ops->setsockopt(sk, level,
+             optname, optval,
+             optlen);
+ return do_dccp_setsockopt(sk, level, optname, optval, optlen);
+}
EXPORT_SYMBOL_GPL(dccp_setsockopt);

+ifdef CONFIG_COMPAT
+int compat_dccp_setsockopt(struct sock *sk, int level, int optname,
+        char __user *optval, int optlen)
+{
+ if (level != SOL_DCCP) {
+     if (inet_csk(sk)->icsk_af_ops->compat_setsockopt)
+         return inet_csk(sk)->icsk_af_ops->compat_setsockopt(sk,
+                 level, optname, optval, optlen);
+     else
+         return inet_csk(sk)->icsk_af_ops->setsockopt(sk,
+                 level, optname, optval, optlen);
+ }
+ return do_dccp_setsockopt(sk, level, optname, optval, optlen);
+}
+EXPORT_SYMBOL_GPL(compat_dccp_setsockopt);
+endif
+
static int dccp_getsockopt_service(struct sock *sk, int len,
        u32 __user *optval,
        int __user *optlen)
@@ -326,16 +347,12 @@ out:
    return err;
}

-int dccp_getsockopt(struct sock *sk, int level, int optname,
+static int do_dccp_getsockopt(struct sock *sk, int level, int optname,

```

```

    char __user *optval, int __user *optlen)
{
    struct dccp_sock *dp;
    int val, len;

- if (level != SOL_DCCP)
- return inet_csk(sk)->icsk_af_ops->getsockopt(sk, level,
-         optname, optval,
-         optlen);
if (get_user(len, optlen))
    return -EFAULT;

@@ -368,8 +385,34 @@ int dccp_getsockopt(struct sock *sk, int
    return 0;
}

+int dccp_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ if (level != SOL_DCCP)
+ return inet_csk(sk)->icsk_af_ops->getsockopt(sk, level,
+         optname, optval,
+         optlen);
+ return do_dccp_getsockopt(sk, level, optname, optval, optlen);
+}
EXPORT_SYMBOL_GPL(dccp_getsockopt);

+#ifdef CONFIG_COMPAT
+int compat_dccp_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ if (level != SOL_DCCP) {
+ if (inet_csk(sk)->icsk_af_ops->compat_setsockopt)
+ return inet_csk(sk)->icsk_af_ops->compat_getsockopt(sk,
+         level, optname, optval, optlen);
+ else
+ return inet_csk(sk)->icsk_af_ops->getsockopt(sk,
+         level, optname, optval, optlen);
+ }
+ return do_dccp_getsockopt(sk, level, optname, optval, optlen);
+}
+EXPORT_SYMBOL_GPL(compat_dccp_getsockopt);
+#endif
+
int dccp_sendmsg(struct kiocb *iocb, struct sock *sk, struct msghdr *msg,
    size_t len)
{
@@ -696,6 +739,10 @@ static const struct proto_ops inet_dccp_

```

```

.shutdown = inet_shutdown,
.setsockopt = sock_common_setsockopt,
.getsockopt = sock_common_getsockopt,
+#ifdef CONFIG_COMPAT
+ .compat_setsockopt = compat_sock_common_setsockopt,
+ .compat_getsockopt = compat_sock_common_getsockopt,
#endif
.sendmsg = inet_sendmsg,
.recvmsg = sock_common_recvmsg,
.mmap = sock_no_mmap,
--- ./net/ipv4/af_inet.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv4/af_inet.c 2006-03-09 12:58:23.000000000 +0300
@@ -802,6 +802,10 @@ const struct proto_ops inet_stream_ops =
.shutdown = inet_shutdown,
.setsockopt = sock_common_setsockopt,
.getsockopt = sock_common_getsockopt,
+#ifdef CONFIG_COMPAT
+ .compat_setsockopt = compat_sock_common_setsockopt,
+ .compat_getsockopt = compat_sock_common_getsockopt,
#endif
.sendmsg = inet_sendmsg,
.recvmsg = sock_common_recvmsg,
.mmap = sock_no_mmap,
@@ -823,6 +827,10 @@ const struct proto_ops inet_dgram_ops =
.shutdown = inet_shutdown,
.setsockopt = sock_common_setsockopt,
.getsockopt = sock_common_getsockopt,
+#ifdef CONFIG_COMPAT
+ .compat_setsockopt = compat_sock_common_setsockopt,
+ .compat_getsockopt = compat_sock_common_getsockopt,
#endif
.sendmsg = inet_sendmsg,
.recvmsg = sock_common_recvmsg,
.mmap = sock_no_mmap,
@@ -848,6 +856,10 @@ static const struct proto_ops inet_sockr
.shutdown = inet_shutdown,
.setsockopt = sock_common_setsockopt,
.getsockopt = sock_common_getsockopt,
+#ifdef CONFIG_COMPAT
+ .compat_setsockopt = compat_sock_common_setsockopt,
+ .compat_getsockopt = compat_sock_common_getsockopt,
#endif
.sendmsg = inet_sendmsg,
.recvmsg = sock_common_recvmsg,
.mmap = sock_no_mmap,
--- ./net/ipv4/ip_sockglue.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv4/ip_sockglue.c 2006-03-09 12:58:23.000000000 +0300
@@ -380,14 +380,12 @@ out:

```

```

* an IP socket.
*/
-int ip_setsockopt(struct sock *sk, int level, int optname, char __user *optval, int optlen)
+static int do_ip_setsockopt(struct sock *sk, int level,
+ int optname, char __user *optval, int optlen)
{
    struct inet_sock *inet = inet_sk(sk);
    int val=0,err;

    - if (level != SOL_IP)
    - return -ENOPROTOOPT;
    -
    if (((1<<optname) & ((1<<IP_PKTINFO) | (1<<IP_RECVTTL) |
        (1<<IP_RECVOPTS) | (1<<IP_RECVTOS) |
        (1<<IP_RETOPTS) | (1<<IP_TOS) |
@@ -849,12 +847,7 @@ mc_msf_out:
        break;

    default:
-#ifdef CONFIG_NETFILTER
    - err = nf_setsockopt(sk, PF_INET, optname, optval,
    -         optlen);
-#else
    err = -ENOPROTOOPT;
-#endif
    break;
}
release_sock(sk);
@@ -865,12 +858,66 @@ e_inval:
    return -EINVAL;
}

+int ip_setsockopt(struct sock *sk, int level,
+ int optname, char __user *optval, int optlen)
+{
+ int err;
+
+ if (level != SOL_IP)
+ return -ENOPROTOOPT;
+
+ err = do_ip_setsockopt(sk, level, optname, optval, optlen);
+/#ifdef CONFIG_NETFILTER
+ /* we need to exclude all possible ENOPROTOOPTs except default case */
+ if (err == -ENOPROTOOPT && optname != IP_HDRINCL &&
+ optname != IP_IPSEC_POLICY && optname != IP_XFRM_POLICY
+/#ifdef CONFIG_IP_MROUTE
+ && (optname < MRT_BASE || optname > (MRT_BASE + 10))

```

```

+#endif
+    ) {
+    lock_sock(sk);
+    err = nf_setsockopt(sk, PF_INET, optname, optval, optlen);
+    release_sock(sk);
+}
#endif
+ return err;
+}
+
+ifdef CONFIG_COMPAT
+int compat_ip_setsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int optlen)
+{
+ int err;
+
+ if (level != SOL_IP)
+     return -ENOPROTOOPT;
+
+ err = do_ip_setsockopt(sk, level, optname, optval, optlen);
+ifdef CONFIG_NETFILTER
+ /* we need to exclude all possible ENOPROTOOPTs except default case */
+ if (err == -ENOPROTOOPT && optname != IP_HDRINCL &&
+     optname != IP_IPSEC_POLICY && optname != IP_XFRM_POLICY
+ifdef CONFIG_IP_MROUTE
+     && (optname < MRT_BASE || optname > (MRT_BASE + 10)))
+endif
+    ) {
+    lock_sock(sk);
+    err = compat_nf_setsockopt(sk, PF_INET,
+        optname, optval, optlen);
+    release_sock(sk);
+}
+endif
+ return err;
+}
#endif
+
/*
 * Get the options. Note for future reference. The GET of IP options gets the
 * _received_ ones. The set sets the _sent_ ones.
*/
-int ip_getsockopt(struct sock *sk, int level, int optname, char __user *optval, int __user *optlen)
+static int do_ip_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
{
    struct inet_sock *inet = inet_sk(sk);

```

```

int val;
@@ -1051,17 +1098,8 @@ int ip_getsockopt(struct sock *sk, int l
    val = inet->freebind;
    break;
default:
#endif CONFIG_NETFILTER
- val = nf_getsockopt(sk, PF_INET, optname, optval,
- &len);
- release_sock(sk);
- if (val >= 0)
-   val = put_user(len, optlen);
- return val;
#ifndef
release_sock(sk);
return -ENOPROTOOPT;
#endif
}
release_sock(sk);

@@ -1082,7 +1120,73 @@ int ip_getsockopt(struct sock *sk, int l
    return 0;
}

+int ip_getsockopt(struct sock *sk, int level,
+ int optname, char __user *optval, int __user *optlen)
+{
+ int err;
+
+ err = do_ip_getsockopt(sk, level, optname, optval, optlen);
+#ifdef CONFIG_NETFILTER
+ /* we need to exclude all possible ENOPROTOOPTs except default case */
+ if (err == -ENOPROTOOPT && optname != IP_PKTOPTIONS
+#ifdef CONFIG_IP_MROUTE
+ && (optname < MRT_BASE || optname > MRT_BASE+10)
+#endif
+ )
+ {
+     int len;
+
+     if(get_user(len,optlen))
+       return -EFAULT;
+
+     lock_sock(sk);
+     err = nf_getsockopt(sk, PF_INET, optname, optval,
+     &len);
+     release_sock(sk);
+     if (err >= 0)
+       err = put_user(len, optlen);
+     return err;

```

```

+ }
+endif
+ return err;
+}
+
+ifdef CONFIG_COMPAT
+int compat_ip_getsockopt(struct sock *sk, int level,
+ int optname, char __user *optval, int __user *optlen)
+{
+ int err;
+
+ err = do_ip_getsockopt(sk, level, optname, optval, optlen);
+ifdef CONFIG_NETFILTER
+ /* we need to exclude all possible ENOPROTOOPTs except default case */
+ if (err == -ENOPROTOOPT && optname != IP_PKTOPTIONS
+ifdef CONFIG_IP_MROUTE
+ && (optname < MRT_BASE || optname > MRT_BASE+10)
+endif
+ ) {
+ int len;
+
+ if(get_user(len,optlen))
+ return -EFAULT;
+
+ lock_sock(sk);
+ err = compat_nf_getsockopt(sk, PF_INET,
+ optname, optval, &len);
+ release_sock(sk);
+ if (err >= 0)
+ err = put_user(len, optlen);
+ return err;
+ }
+endif
+ return err;
+}
+
EXPORT_SYMBOL(ip_cmsg_recv);

EXPORT_SYMBOL(ip_getsockopt);
EXPORT_SYMBOL(ip_setsockopt);
+ifdef CONFIG_COMPAT
+EXPORT_SYMBOL(compat_ip_getsockopt);
+EXPORT_SYMBOL(compat_ip_setsockopt);
+endif
--- ./net/ipv4/raw.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv4/raw.c 2006-03-09 12:58:23.000000000 +0300
@@ @ -660,12 +660,9 @@ static int raw_geticmpfilter(struct sock

```

```

out: return ret;
}

-static int raw_setsockopt(struct sock *sk, int level, int optname,
+static int do_raw_setsockopt(struct sock *sk, int level, int optname,
    char __user *optval, int optlen)
{
- if (level != SOL_RAW)
- return ip_setsockopt(sk, level, optname, optval, optlen);
-
if (optname == ICMP_FILTER) {
    if (inet_sk(sk)->num != IPPROTO_ICMP)
        return -EOPNOTSUPP;
@@ -675,12 +672,28 @@ static int raw_setsockopt(struct sock *s
    return -ENOPROTOOPT;
}

-static int raw_getsockopt(struct sock *sk, int level, int optname,
-    char __user *optval, int __user *optlen)
+static int raw_setsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int optlen)
{
    if (level != SOL_RAW)
-    return ip_getsockopt(sk, level, optname, optval, optlen);
+    return ip_setsockopt(sk, level, optname, optval, optlen);
+    return do_raw_setsockopt(sk, level, optname, optval, optlen);
+}

+#ifdef CONFIG_COMPAT
+static int compat_raw_setsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int optlen)
+{
+    if (level != SOL_RAW)
+        return compat_ip_setsockopt(sk, level,
+            optname, optval, optlen);
+    return do_raw_setsockopt(sk, level, optname, optval, optlen);
+}
+#endif
+
+static int do_raw_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
    if (optname == ICMP_FILTER) {
        if (inet_sk(sk)->num != IPPROTO_ICMP)
            return -EOPNOTSUPP;
@@ -690,6 +703,25 @@ static int raw_getsockopt(struct sock *s
        return -ENOPROTOOPT;
}

```

```

+static int raw_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ if (level != SOL_RAW)
+     return ip_getsockopt(sk, level, optname, optval, optlen);
+ return do_raw_getsockopt(sk, level, optname, optval, optlen);
+}
+
+ifdef CONFIG_COMPAT
+static int compat_raw_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ if (level != SOL_RAW)
+     return compat_ip_getsockopt(sk, level,
+         optname, optval, optlen);
+ return do_raw_getsockopt(sk, level, optname, optval, optlen);
+}
+
+endif
+
static int raw_ioctl(struct sock *sk, int cmd, unsigned long arg)
{
    switch (cmd) {
@@ -728,6 +760,10 @@ struct proto raw_prot = {
    .init = raw_init,
    .setsockopt = raw_setsockopt,
    .getsockopt = raw_getsockopt,
+ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_raw_setsockopt,
+    .compat_getsockopt = compat_raw_getsockopt,
+endif
    .sendmsg = raw_sendmsg,
    .recvmsg = raw_recvmsg,
    .bind = raw_bind,
--- ./net/ipv4/tcp.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv4/tcp.c 2006-03-09 12:58:23.000000000 +0300
@@ -1687,18 +1687,14 @@ int tcp_disconnect(struct sock *sk, int
/*
 * Socket option code for TCP.
 */
-int tcp_setsockopt(struct sock *sk, int level, int optname, char __user *optval,
-    int optlen)
+static int do_tcp_setsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int optlen)
{
    struct tcp_sock *tp = tcp_sk(sk);
    struct inet_connection_sock *icsk = inet_csk(sk);
    int val;

```

```

int err = 0;

- if (level != SOL_TCP)
- return icsk->icsk_af_ops->setsockopt(sk, level, optname,
-     optval, optlen);
-
/* This is a string value all the others are int's */
if (optname == TCP_CONGESTION) {
    char name[TCP_CA_NAME_MAX];
@@ -1871,6 +1867,35 @@ int tcp_setsockopt(struct sock *sk, int
    return err;
}

+int tcp_setsockopt(struct sock *sk, int level, int optname, char __user *optval,
+    int optlen)
+{
+ struct inet_connection_sock *icsk = inet_csk(sk);
+
+ if (level != SOL_TCP)
+     return icsk->icsk_af_ops->setsockopt(sk, level, optname,
+         optval, optlen);
+ return do_tcp_setsockopt(sk, level, optname, optval, optlen);
+}
+
+ifdef CONFIG_COMPAT
+int compat_tcp_setsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int optlen)
+{
+ struct inet_connection_sock *icsk = inet_csk(sk);
+
+ if (level != SOL_TCP) {
+     if (icsk->icsk_af_ops->compat_setsockopt)
+         return icsk->icsk_af_ops->compat_setsockopt(sk,
+             level, optname, optval, optlen);
+     else
+         return icsk->icsk_af_ops->setsockopt(sk,
+             level, optname, optval, optlen);
+ }
+ return do_tcp_setsockopt(sk, level, optname, optval, optlen);
+}
+endif
+
/* Return information about state of tcp endpoint in API format.*/
void tcp_get_info(struct sock *sk, struct tcp_info *info)
{
@@ -1931,17 +1956,13 @@ void tcp_get_info(struct sock *sk, struc
EXPORT_SYMBOL_GPL(tcp_get_info);

```

```

-int tcp_getsockopt(struct sock *sk, int level, int optname, char __user *optval,
-    int __user *optlen)
+static int do_tcp_getsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int __user *optlen)
{
    struct inet_connection_sock *icsk = inet_csk(sk);
    struct tcp_sock *tp = tcp_sk(sk);
    int val, len;

    if (level != SOL_TCP)
        return icsk->icsk_af_ops->getsockopt(sk, level, optname,
            optval, optlen);
    if (get_user(len, optlen))
        return -EFAULT;
}

@@ -2025,6 +2046,34 @@ int tcp_getsockopt(struct sock *sk, int
    return 0;
}

+int tcp_getsockopt(struct sock *sk, int level, int optname, char __user *optval,
+    int __user *optlen)
+{
+    struct inet_connection_sock *icsk = inet_csk(sk);
+
+    if (level != SOL_TCP)
+        return icsk->icsk_af_ops->getsockopt(sk, level, optname,
+            optval, optlen);
+    return do_tcp_getsockopt(sk, level, optname, optval, optlen);
+}
+
+#ifdef CONFIG_COMPAT
+int compat_tcp_getsockopt(struct sock *sk, int level,
+    int optname, char __user *optval, int __user *optlen)
+{
+    struct inet_connection_sock *icsk = inet_csk(sk);
+
+    if (level != SOL_TCP) {
+        if (icsk->icsk_af_ops->compat_getsockopt)
+            return icsk->icsk_af_ops->compat_getsockopt(sk,
+                level, optname, optval, optlen);
+        else
+            return icsk->icsk_af_ops->getsockopt(sk,
+                level, optname, optval, optlen);
+    }
+    return do_tcp_getsockopt(sk, level, optname, optval, optlen);
+}

```

```

+#endif

extern void __skb_cb_too_small_for_tcp(int, int);
extern struct tcp_congestion_ops tcp_reno;
@@ -2142,3 +2191,7 @@ EXPORT_SYMBOL(tcp_sendpage);
EXPORT_SYMBOL(tcp_setsockopt);
EXPORT_SYMBOL(tcp_shutdown);
EXPORT_SYMBOL(tcp_statistics);
+#ifdef CONFIG_COMPAT
+EXPORT_SYMBOL(compat_tcp_setsockopt);
+EXPORT_SYMBOL(compat_tcp_getsockopt);
+#endif
--- ./net/ipv4/tcp_ipv4.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv4/tcp_ipv4.c 2006-03-09 12:58:23.000000000 +0300
@@ -1225,6 +1225,10 @@ struct inet_connection_sock_af_ops ipv4_
    .net_header_len = sizeof(struct iphdr),
    .setsockopt = ip_setsockopt,
    .getsockopt = ip_getsockopt,
+#ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_ip_setsockopt,
+    .compat_getsockopt = compat_ip_getsockopt,
+#endif
    .addr2sockaddr = inet_csk_addr2sockaddr,
    .sockaddr_len = sizeof(struct sockaddr_in),
};

@@ -1807,6 +1811,10 @@ struct proto tcp_prot = {
    .shutdown = tcp_shutdown,
    .setsockopt = tcp_setsockopt,
    .getsockopt = tcp_getsockopt,
+#ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_tcp_setsockopt,
+    .compat_getsockopt = compat_tcp_getsockopt,
+#endif
    .sendmsg = tcp_sendmsg,
    .recvmsg = tcp_recvmsg,
    .backlog_rcv = tcp_v4_do_rcv,
--- ./net/ipv4/udp.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv4/udp.c 2006-03-09 12:58:23.000000000 +0300
@@ -1207,16 +1207,13 @@ static int udp_destroy_sock(struct sock
/*
 * Socket option code for UDP
 */
-static int udp_setsockopt(struct sock *sk, int level, int optname,
+static int do_udp_setsockopt(struct sock *sk, int level, int optname,
    char __user *optval, int optlen)
{
    struct udp_sock *up = udp_sk(sk);
    int val;

```

```

int err = 0;

- if (level != SOL_UDP)
- return ip_setsockopt(sk, level, optname, optval, optlen);
-
- if(optlen<sizeof(int))
  return -EINVAL;

@@ @ -1256,15 +1253,31 @@ static int udp_setsockopt(struct sock *s
    return err;
}

-static int udp_getsockopt(struct sock *sk, int level, int optname,
+static int udp_setsockopt(struct sock *sk, int level, int optname,
+  char __user *optval, int optlen)
+{
+ if (level != SOL_UDP)
+ return ip_setsockopt(sk, level, optname, optval, optlen);
+ return do_udp_setsockopt(sk, level, optname, optval, optlen);
+}
+
+ifdef CONFIG_COMPAT
+static int compat_udp_setsockopt(struct sock *sk, int level, int optname,
+  char __user *optval, int optlen)
+{
+ if (level != SOL_UDP)
+ return compat_ip_setsockopt(sk, level,
+   optname, optval, optlen);
+ return do_udp_setsockopt(sk, level, optname, optval, optlen);
+}
+endif
+
+static int do_udp_getsockopt(struct sock *sk, int level, int optname,
    char __user *optval, int __user *optlen)
{
    struct udp_sock *up = udp_sk(sk);
    int val, len;

- if (level != SOL_UDP)
- return ip_getsockopt(sk, level, optname, optval, optlen);
-
- if(get_user(len,optlen))
  return -EFAULT;

@@ @ -1293,6 +1306,24 @@ static int udp_getsockopt(struct sock *s
    return 0;
}

```

```

+static int udp_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ if (level != SOL_UDP)
+     return ip_getsockopt(sk, level, optname, optval, optlen);
+ return do_udp_getsockopt(sk, level, optname, optval, optlen);
+}
+
+ifdef CONFIG_COMPAT
+static int compat_udp_getsockopt(struct sock *sk, int level, int optname,
+    char __user *optval, int __user *optlen)
+{
+ if (level != SOL_UDP)
+     return compat_ip_getsockopt(sk, level,
+         optname, optval, optlen);
+ return do_udp_getsockopt(sk, level, optname, optval, optlen);
+}
+
#endif
/***
 * udp_poll - wait for a UDP event.
 * @file - file struct
@@ -1350,6 +1381,10 @@ struct proto udp_prot = {
    .destroy = udp_destroy_sock,
    .setsockopt = udp_setsockopt,
    .getsockopt = udp_getsockopt,
+ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_udp_setsockopt,
+    .compat_getsockopt = compat_udp_getsockopt,
+endif
    .sendmsg = udp_sendmsg,
    .recvmsg = udp_recvmsg,
    .sendpage = udp_sendpage,
--- ./net/ipv6/af_inet6.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv6/af_inet6.c 2006-03-09 12:58:23.000000000 +0300
@@ -470,6 +470,10 @@ const struct proto_ops inet6_stream_ops
    .shutdown = inet_shutdown, /* ok */
    .setsockopt = sock_common_setsockopt, /* ok */
    .getsockopt = sock_common_getsockopt, /* ok */
+ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_sock_common_setsockopt,
+    .compat_getsockopt = compat_sock_common_getsockopt,
+endif
    .sendmsg = inet_sendmsg, /* ok */
    .recvmsg = sock_common_recvmsg, /* ok */
    .mmap = sock_no_mmap,
@@ -491,6 +495,10 @@ const struct proto_ops inet6_dgram_ops =
    .shutdown = inet_shutdown, /* ok */
    .setsockopt = sock_common_setsockopt, /* ok */

```

```

.getsockopt = sock_common_getsockopt, /* ok */
+ifdef CONFIG_COMPAT
+.compat_setsockopt = compat_sock_common_setsockopt,
+.compat_getsockopt = compat_sock_common_getsockopt,
+endif
.sendmsg = inet_sendmsg, /* ok */
.recvmsg = sock_common_recvmsg, /* ok */
.mmap = sock_no_mmap,
@@ -519,6 +527,10 @@ static const struct proto_ops inet6_sock
.shutdown = inet_shutdown, /* ok */
.setsockopt = sock_common_setsockopt, /* ok */
.getsockopt = sock_common_getsockopt, /* ok */
+ifdef CONFIG_COMPAT
+.compat_setsockopt = compat_sock_common_setsockopt,
+.compat_getsockopt = compat_sock_common_getsockopt,
+endif
.sendmsg = inet_sendmsg, /* ok */
.recvmsg = sock_common_recvmsg, /* ok */
.mmap = sock_no_mmap,
--- ./net/ipv6/tcp_ipv6.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/ipv6/tcp_ipv6.c 2006-03-09 12:58:23.000000000 +0300
@@ -1565,6 +1565,10 @@ struct proto tcpv6_prot = {
.shutdown = tcp_shutdown,
.setsockopt = tcp_setsockopt,
.getsockopt = tcp_getsockopt,
+ifdef CONFIG_COMPAT
+.compat_setsockopt = compat_tcp_setsockopt,
+.compat_getsockopt = compat_tcp_getsockopt,
+endif
.sendmsg = tcp_sendmsg,
.recvmsg = tcp_recvmsg,
.backlog_rcv = tcp_v6_do_rcv,
--- ./net/netfilter/nf_sockopt.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/netfilter/nf_sockopt.c 2006-03-09 12:58:23.000000000 +0300
@@ -130,3 +130,72 @@ int nf_getsockopt(struct sock *sk, int p
}
EXPORT_SYMBOL(nf_getsockopt);

+ifdef CONFIG_COMPAT
+static int compat_nf_sockopt(struct sock *sk, int pf, int val,
+    char __user *opt, int *len, int get)
+{
+    struct list_head *i;
+    struct nf_sockopt_ops *ops;
+    int ret;
+
+    if (down_interruptible(&nf_sockopt_mutex) != 0)
+        return -EINTR;

```

```

+
+ list_for_each(i, &nf_sockopts) {
+   ops = (struct nf_sockopt_ops *)i;
+   if (ops->pf == pf) {
+     if (get) {
+       if (val >= ops->get_optmin
+           && val < ops->get_optmax) {
+         ops->use++;
+         up(&nf_sockopt_mutex);
+         if (ops->compat_get)
+           ret = ops->compat_get(sk,
+                                   val, opt, len);
+         else
+           ret = ops->get(sk,
+                           val, opt, len);
+         goto out;
+       }
+     } else {
+       if (val >= ops->set_optmin
+           && val < ops->set_optmax) {
+         ops->use++;
+         up(&nf_sockopt_mutex);
+         if (ops->compat_set)
+           ret = ops->compat_set(sk,
+                                   val, opt, *len);
+         else
+           ret = ops->set(sk,
+                           val, opt, *len);
+         goto out;
+       }
+     }
+   }
+   up(&nf_sockopt_mutex);
+   return -ENOPROTOOPT;
+
+ out:
+   down(&nf_sockopt_mutex);
+   ops->use--;
+   if (ops->cleanup_task)
+     wake_up_process(ops->cleanup_task);
+   up(&nf_sockopt_mutex);
+   return ret;
+}
+
+int compat_nf_setsockopt(struct sock *sk, int pf,
+                         int val, char __user *opt, int len)
+{

```

```

+ return compat_nf_sockopt(sk, pf, val, opt, &len, 0);
+}
+EXPORT_SYMBOL(compat_nf_setsockopt);
+
+int compat_nf_getsockopt(struct sock *sk, int pf,
+    int val, char __user *opt, int *len)
+{
+    return compat_nf_sockopt(sk, pf, val, opt, len, 1);
+}
+EXPORT_SYMBOL(compat_nf_getsockopt);
+#endif
--- ./net/sctp/ipv6.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/sctp/ipv6.c 2006-03-09 12:58:23.000000000 +0300
@@ -875,6 +875,10 @@ static const struct proto_ops inet6_seqp
    .shutdown = inet_shutdown,
    .setsockopt = sock_common_setsockopt,
    .getsockopt = sock_common_getsockopt,
+#ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_sock_common_setsockopt,
+    .compat_getsockopt = compat_sock_common_getsockopt,
+#endif
    .sendmsg = inet_sendmsg,
    .recvmsg = sock_common_recvmsg,
    .mmap = sock_no_mmap,
--- ./net/sctp/protocol.c.compat 2006-03-09 12:57:54.000000000 +0300
+++ ./net/sctp/protocol.c 2006-03-09 12:58:23.000000000 +0300
@@ -845,6 +845,10 @@ static const struct proto_ops inet_seqpa
    .shutdown = inet_shutdown, /* Looks harmless. */
    .setsockopt = sock_common_setsockopt, /* IP_SOL_IP_OPTION is a problem. */
    .getsockopt = sock_common_getsockopt,
+#ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_sock_common_setsockopt,
+    .compat_getsockopt = compat_sock_common_getsockopt,
+#endif
    .sendmsg = inet_sendmsg,
    .recvmsg = sock_common_recvmsg,
    .mmap = sock_no_mmap,
@@ -883,6 +887,10 @@ static struct sctp_af sctp_ipv4_specific
    .sctp_xmit = sctp_v4_xmit,
    .setsockopt = ip_setsockopt,
    .getsockopt = ip_getsockopt,
+#ifdef CONFIG_COMPAT
+    .compat_setsockopt = compat_ip_setsockopt,
+    .compat_getsockopt = compat_ip_getsockopt,
+#endif
    .get_dst = sctp_v4_get_dst,
    .get_saddr = sctp_v4_get_saddr,
    .copy_addrlist = sctp_v4_copy_addrlist,

```

## File Attachments

1) [diff-ms-sockopts-compat-20060309](#), downloaded 602 times

---