
Subject: Re: [PATCH 4/5] [V2] Define is_global_init() and is_container_init()
Posted by [akpm](#) on Fri, 20 Jul 2007 22:41:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Thu, 19 Jul 2007 00:21:58 -0700

sukadev@us.ibm.com wrote:

```
> --- lx26-22-rc6-mm1a.orig/kernel/pid.c 2007-07-16 12:55:15.000000000 -0700
> +++ lx26-22-rc6-mm1a/kernel/pid.c 2007-07-16 13:10:48.000000000 -0700
> @@ -69,6 +69,13 @@ struct pid_namespace init_pid_ns = {
>   .last_pid = 0,
>   .child_reaper = &init_task
> };
> +EXPORT_SYMBOL(init_pid_ns);
> +
> +int is_global_init(struct task_struct *tsk)
> +{
> + return tsk == init_pid_ns.child_reaper;
> +}
> +EXPORT_SYMBOL(is_global_init);
```

I don't immediately see why init_pid_ns was exported to modules.

It would need to be exported if is_global_init() was made static inline in a header (which seems like a sensible thing to do), but it wasn't.

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
