

---

Subject: [PATCH 01/25] sysfs: Move all of inode initialization into sysfs\_init\_inode  
Posted by [ebiederm](#) on Tue, 07 Aug 2007 21:08:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Signed-off-by: "Eric W. Biederman" <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

---

```
fs/sysfs/dir.c | 37 -----
fs/sysfs/inode.c | 48 ++++++=====
fs/sysfs/mount.c |  5 ----
3 files changed, 45 insertions(+), 45 deletions(-)
```

```
diff --git a/fs/sysfs/dir.c b/fs/sysfs/dir.c
index 3e5acc4..ae06f4a 100644
--- a/fs/sysfs/dir.c
+++ b/fs/sysfs/dir.c
@@ -746,24 +746,12 @@ int sysfs_create_dir(struct kobject *kobj)
    return error;
}

-static int sysfs_count_nlink(struct sysfs_dirent *sd)
-{
-    struct sysfs_dirent *child;
-    int nr = 0;
-
-    for (child = sd->s_children; child; child = child->s_sibling)
-        if (sysfs_type(child) == SYSFS_DIR)
-            nr++;
-    return nr + 2;
-}
-
 static struct dentry * sysfs_lookup(struct inode *dir, struct dentry *dentry,
    struct nameidata *nd)
{
    struct dentry *ret = NULL;
    struct sysfs_dirent *parent_sd = dentry->d_parent->d_fsdmeta;
    struct sysfs_dirent *sd;
-    struct bin_attribute *bin_attr;
    struct inode *inode;

    mutex_lock(&sysfs_mutex);
@@ -783,31 +771,6 @@ static struct dentry * sysfs_lookup(struct inode *dir, struct dentry *
*dentry,
    goto out_unlock;
}

-if (inode->i_state & I_NEW) {
-/* initialize inode according to type */
-switch (sysfs_type(sd)) {
```

```

- case SYSFS_DIR:
-   inode->i_op = &sysfs_dir_inode_operations;
-   inode->i_fop = &sysfs_dir_operations;
-   inode->i_nlink = sysfs_count_nlink(sd);
-   break;
- case SYSFS_KOBJ_ATTR:
-   inode->i_size = PAGE_SIZE;
-   inode->i_fop = &sysfs_file_operations;
-   break;
- case SYSFS_KOBJ_BIN_ATTR:
-   bin_attr = sd->s_elem.bin_attr.bin_attr;
-   inode->i_size = bin_attr->size;
-   inode->i_fop = &bin_fops;
-   break;
- case SYSFS_KOBJ_LINK:
-   inode->i_op = &sysfs_symlink_inode_operations;
-   break;
- default:
-   BUG();
- }
-
- sysfs_instantiate(dentry, inode);
- sysfs_attach_dentry(sd, dentry);

```

```

diff --git a/fs/sysfs/inode.c b/fs/sysfs/inode.c
index e74224e..aefc346 100644
--- a/fs/sysfs/inode.c
+++ b/fs/sysfs/inode.c
@@ -123,8 +123,22 @@ static inline void set_inode_attr(struct inode *inode, struct iattr *iatr)
 */
static struct lock_class_key sysfs_inode_imutex_key;

+static int sysfs_count_nlink(struct sysfs_dirent *sd)
+{
+ struct sysfs_dirent *child;
+ int nr = 0;
+
+ for (child = sd->s_children; child; child = child->s_sibling)
+ if (sysfs_type(child) == SYSFS_DIR)
+ nr++;
+
+ return nr + 2;
+}
+
static void sysfs_init_inode(struct sysfs_dirent *sd, struct inode *inode)
{
+ struct bin_attribute *bin_attr;

```

```

+
inode->i_blocks = 0;
inode->i_mapping->a_ops = &sysfs_aops;
inode->i_mapping->backing_dev_info = &sysfs_backing_dev_info;
@@ -140,6 +154,37 @@ static void sysfs_init_inode(struct sysfs_dirent *sd, struct inode *inode)
    set_inode_attr(inode, sd->s_iattr);
} else
    set_default_inode_attr(inode, sd->s_mode);
+
+
+ /* initialize inode according to type */
+ switch (sysfs_type(sd)) {
+ case SYSFS_ROOT:
+     inode->i_op = &sysfs_dir_inode_operations;
+     inode->i_fop = &sysfs_dir_operations;
+     inc_nlink(inode); /* directory, account for "." */
+     break;
+ case SYSFS_DIR:
+     inode->i_op = &sysfs_dir_inode_operations;
+     inode->i_fop = &sysfs_dir_operations;
+     inode->i_nlink = sysfs_count_nlink(sd);
+     break;
+ case SYSFS_KOBJ_ATTR:
+     inode->i_size = PAGE_SIZE;
+     inode->i_fop = &sysfs_file_operations;
+     break;
+ case SYSFS_KOBJ_BIN_ATTR:
+     bin_attr = sd->s_elem.bin_attr.bin_attr;
+     inode->i_size = bin_attr->size;
+     inode->i_fop = &bin_fops;
+     break;
+ case SYSFS_KOBJ_LINK:
+     inode->i_op = &sysfs_symlink_inode_operations;
+     break;
+ default:
+     BUG();
+ }
+
+ unlock_new_inode(inode);
}

/**
@@ -181,9 +226,6 @@ void sysfs_instantiate(struct dentry *dentry, struct inode *inode)
{
    BUG_ON(!dentry || dentry->d_inode);

- if (inode->i_state & I_NEW)
-     unlock_new_inode(inode);

```

```
-    d_instantiate(dentry, inode);
}

diff --git a/fs/sysfs/mount.c b/fs/sysfs/mount.c
index 0c016e1..919eaaf 100644
--- a/fs/sysfs/mount.c
+++ b/fs/sysfs/mount.c
@@ -50,11 +50,6 @@ static int sysfs_fill_super(struct super_block *sb, void *data, int silent)
    return -ENOMEM;
}

- inode->i_op = &sysfs_dir_inode_operations;
- inode->i_fop = &sysfs_dir_operations;
- inc_nlink(inode); /* directory, account for "." */
- unlock_new_inode(inode);

/* instantiate and link root dentry */
root = d_alloc_root(inode);
if (!root) {
--
```

1.5.1.1.181.g2de0

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---