
Subject: [PATCH 05/25] sysfs: In sysfs_lookup don't open code sysfs_find_dirent
Posted by [ebiederm](#) on Tue, 07 Aug 2007 21:12:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a small cleanup patch that makes the code just a little bit cleaner.

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

```
---
fs/sysfs/dir.c | 4 +---
1 files changed, 1 insertions(+), 3 deletions(-)

diff --git a/fs/sysfs/dir.c b/fs/sysfs/dir.c
index 39df3ce..2721e36 100644
--- a/fs/sysfs/dir.c
+++ b/fs/sysfs/dir.c
@@ -754,9 +754,7 @@ static struct dentry * sysfs_lookup(struct inode *dir, struct dentry *dentry,
    mutex_lock(&sysfs_mutex);

- for (sd = parent_sd->s_children; sd; sd = sd->s_sibling)
- if (sysfs_type(sd) && !strcmp(sd->s_name, dentry->d_name.name))
- break;
+ sd = sysfs_find_dirent(parent_sd, dentry->d_name.name);

/* no such entry */
if (!sd)
--
1.5.1.1.181.g2de0
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
