

---

Subject: [PATCH] Allow signalling container-init  
Posted by [Sukadev Bhattiprolu](#) on Wed, 08 Aug 2007 23:47:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Pavel,

Should we include this in the patchset ?

Sukadev

---

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>  
Subject: [PATCH] Allow signalling container-init

Only the global-init process must be special - any other container-init process must be killable to prevent run-away processes in the system.

TODO: Ideally we should allow killing the container-init only from ancestor containers and prevent it being killed from that or descendant containers. But that is a more complex change and will be addressed by a follow-on patch. For now allow the container-init to be terminated by any process with sufficient privileges.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

---

kernel/signal.c | 6 +++++  
1 file changed, 2 insertions(+), 4 deletions(-)

Index: lx26-23-rc1-mm1/kernel/signal.c

```
=====
--- lx26-23-rc1-mm1.orig/kernel/signal.c 2007-08-07 13:52:12.000000000 -0700
+++ lx26-23-rc1-mm1/kernel/signal.c 2007-08-08 15:09:27.000000000 -0700
@@ -1861,11 +1861,9 @@ relock:
     continue;

    /*
   - * Init of a pid space gets no signals it doesn't want from
   - * within that pid space. It can of course get signals from
   - * its parent pid space.
   + * Global init gets no signals it doesn't want.
   */
   - if (current == task_child_reaper(current))
   + if (is_global_init(current->group_leader))
     continue;

   if (sig_kernel_stop(signr)) {
```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---