Subject: Re: [-mm PATCH 8/9] Memory controller add switch to control what type of pages to limit (v4) Posted by Balbir Singh on Mon, 13 Aug 2007 06:17:03 GMT View Forum Message <> Reply to Message YAMAMOTO Takashi wrote: >> YAMAMOTO Takashi wrote: >>>> Choose if we want cached pages to be accounted or not. By default both >>>> are accounted for. A new set of tunables are added. >>>> >>>> echo -n 1 > mem_control_type >>>> >>> switches the accounting to account for only mapped pages >>>> >>>> echo -n 2 > mem_control_type >>>> >>>> switches the behaviour back >>> MEM CONTAINER TYPE ALL is 3, not 2. >>> >> Thanks, I'll fix the comment on the top. >> >>> YAMAMOTO Takashi >>> >>>> +enum { >>>> + MEM_CONTAINER_TYPE_UNSPEC = 0, >>>> + MEM CONTAINER TYPE MAPPED, >>>> + MEM_CONTAINER_TYPE_CACHED, > > what's MEM CONTAINER TYPE CACHED, btw? > it seems that nothing distinguishes it from MEM CONTAINER TYPE MAPPED. >

The important types are currently MEM_CONTAINER_TYPE_MAPPED and MEM_CONTAINER_TYPE_ALL. I added the types for future use (may be for finer accounting of types, later).

> YAMAMOTO Takashi

Warm Regards, Balbir Singh Linux Technology Center IBM, ISTL

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containers