
Subject: Re: [RFC][PATCH] Cleanup the new thread's creation
Posted by [Pavel Emelianov](#) on Mon, 27 Aug 2007 06:43:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

Oleg Nesterov wrote:

> On 08/24, Pavel Emelianov wrote:

>> The major differences of creating a new thread from creating a

>> new process is that

>>

>> 1. newbie's tgid is set to leader's

>> 2. newbie's leader is set to leader

>> 3. newbie is added to leader's thread_list

>

> (Surely, there are many other major differences, but from the pids virtualization

> POV - yes ;)

>

>> +static void setup_new_thread(struct task_struct *thr, struct task_struct

>> *leader)

>> +{

>> + thr->tgid = leader->tgid;

>> + thr->group_leader = leader;

>> + list_add_tail_rcu(&thr->thread_group, &leader->thread_group);

>> +}

>

> Imho, this name is a bit "too generic". Not that I can suggest something

> better... copy_sub_thread/copy_group_leader ?

>

>> @@ -1147,9 +1161,6 @@ static struct task_struct *copy_process(

>> }

>>

>> p->pid = pid_nr(pid);

>> - p->tgid = p->pid;

>> - if (clone_flags & CLONE_THREAD)

>> - p->tgid = current->tgid;

>

> I agree, it is absolutely not clear why should we set ->tgid here, and it

> would be nice to consolidate "if (CLONE_THREAD)" checks, but do we really

> need the helpers above? There are very simple, and have the only one caller.

> Sometimes it is good to see what's going on without pressing C-]

>

> Not that I'm against this patch, just I'm not sure it really simplifies things.

> Perhaps I missed something else you have in mind.

Me too, but while cleaning up the pid_t usage over the kernel I found this place to be one of the most difficult from "how to make it better" point of view. We need to hide the pid/tgid explicit usage somehow, but the problem is that pid and tgid are set in this place and de_thread() only and making helpers like set_task_tgid() doesn't sound reasonable.

> Oleg.
>
>

Thanks,
Pavel

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
