
Subject: Re: [PATCH] Switch nfs/callback.c to using struct pid, not pid_t
Posted by [Trond Myklebust](#) on Wed, 29 Aug 2007 14:10:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Wed, 2007-08-29 at 14:52 +0100, Christoph Hellwig wrote:

> On Wed, Aug 29, 2007 at 05:36:24PM +0400, Pavel Emelyanov wrote:

> > Pid namespaces make it dangerous to use pid and tgid values

> > when run in some namespace. The struct pid itself is going

> > to be the only way for working with task pids, so make the

> > nfs callback thread use it.

> >

> > Since nfs_callback_info.pid is set to current's one and reset

> > on the thread exit, it is safe not to get the struct pid.

> >

> > Since this pid is used later under lock_kernel() w/o sleeping

> > operations, checking for i to be not NULL and killing the

> > thread with kill_pid() is safe.

>

> NACK. This just makes the code even more obscure. Please get rid

> of the pid references entirely and convert the code to the kthread

> API.

That would require converting the full sunrpc server code to use
kthreads, which again means changing nfsd, and lockd too.

I'm not saying that is a bad thing, but it is nontrivial to do. In
particular, kthread's abominable shutdown mechanism simply does not work
or scale when the thread is listening for new requests in svc_rcv().

Cheers

Trond

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
