

Subject: Re: [PATCH] Hookup group-scheduler with task container infrastructure
Posted by [Dmitry Adamushko](#) on Mon, 10 Sep 2007 22:28:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 10/09/2007, Srivatsa Vaddagiri <vatsa@linux.vnet.ibm.com> wrote:

> On Mon, Sep 10, 2007 at 10:22:59AM -0700, Andrew Morton wrote:

>> objection ;) "cpuctlr" isn't memorable. Kernel code is write-rarely,
>> read-often. "cpu_controller", please. The extra typing is worth it ;)

>

> Ok! Here's the modified patch (against 2.6.23-rc4-mm1).

>

> [...]

>

> /* change task's runqueue when it moves between groups */

> +static void sched_move_task(struct container subsys *ss, struct container *cont,

>+ struct container *old cont, struct task_struct *tsk)

>

> + int on_rq:

> + unsigned long flags;

```
>+ struct rq *rq;
```

3

```
> +    rq = task_rq_lock(tsk, &flags);
```

8

I guess, update_rq_clock(rq) should be placed here.

hummm... do you really need deactivate/activate_task() here? 'rq' and p->se.load.weight stay unchanged so enqueue/dequeue_task() would do a job, no?

Although, I might be missing (definitely, as this part is not completely clear to me yet) something important at this late hour :)

```
> +     on_rq = tsk->se.on_rq;
> +     if (on_rq)
> +         deactivate_task(rq, tsk, 0);
> +
> +     if (unlikely(rq->curr == tsk) && tsk->sched_class == &fair_sched_class)
> +         tsk->sched_class->put_prev_task(rq, tsk);
> +
> +     set_task_cfs_rq(tsk);
> +
> +     if (on_rq)
> +         activate_task(rq, tsk, 0);
> +
> +     if (unlikely(rq->curr == tsk) && tsk->sched_class == &fair_sched_class)
> +         tsk->sched_class->set_curr_task(rq);
> +
```

```
> +     task_rq_unlock(rq, &flags);
> +}
> +
```

--

Best regards,
Dmitry Adamushko

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
