

---

Subject: Re: [PATCH 1/3] Signal semantics for /sbin/init  
Posted by [Oleg Nesterov](#) on Tue, 11 Sep 2007 11:19:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On 09/10, sukadev@us.ibm.com wrote:

>  
> (This is Oleg's patch with my pid ns additions. Compiled and unit tested  
> on 2.6.23-rc4-mm1 with other patches in this set. Oleg pls update this  
> patch if necessary and sign-off)

Sukadev, my apologies. This patch does need some changes,

> Notes:  
>  
> - Blocked signals are never ignored, so init still can receive  
> a pending blocked signal after sigprocmask(SIG\_UNBLOCK).  
> Easy to fix, but probably we can ignore this issue.

I was wrong. This should be fixed right now. I think this is easy,  
and I was going to finish this patch yesterday, but - sorry! - I just  
can't switch to "kernel mode" these days, I am fighting with some urgent  
tasks on my paid job.

Please feel free to solve this issue yourself if you wish. As for me, I'm  
forgetting about the kernel until at least the next weekend.

Also, Pavel has some ideas how to do this all on receiver's path, perhaps  
this makes more sense (not that I completely agree, but I didn't see the  
code yet).

Sorry for inconvenience,

Oleg.

---

Containers mailing list  
[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---