
Subject: [PATCH 15/33]
task-containersv11-add-container_clone-interface-cgroups-fix-refcount-bug
Posted by [Paul Menage](#) on Mon, 17 Sep 2007 21:03:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Updates cgroup_clone() to use lookup_one_len() rather than
cgroup_get_dentry(). Originally part of
task-cgroupsv11-basic-task-cgroup-framework-cgroups-fix-refcount-bug
but split out by akpm for the -mm tree.

Signed-off-by: Paul Menage <menage@google.com>

kernel/cgroup.c | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)

Index: linux-2.6.23-rc4-mm1-new/kernel/cgroup.c

=====

--- linux-2.6.23-rc4-mm1-new.orig/kernel/cgroup.c
+++ linux-2.6.23-rc4-mm1-new/kernel/cgroup.c
@@ -2577,7 +2577,7 @@ int cgroup_clone(struct task_struct *tsk
/* Hold the parent directory mutex across this operation to
* stop anyone else deleting the new cgroup */
mutex_lock(&inode->i_mutex);
- dentry = cgroup_get_dentry(parent->dentry, nodename);
+ dentry = lookup_one_len(nodename, parent->dentry, strlen(nodename));
if (IS_ERR(dentry)) {
printk(KERN_INFO
"Couldn't allocate dentry for %s: %ld\n", nodename,

--

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
