

---

Subject: [PATCH 2/5] Fix minor bug in yield + add more debug o/p  
Posted by [Srivatsa Vaddagiri](#) on Mon, 24 Sep 2007 16:29:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

- Fix a minor bug in yield (seen for CONFIG\_FAIR\_GROUP\_SCHED)
- Print nr\_running and load information for cfs\_rq in /proc/sched\_debug
- Print &rq->cfs statistics as well (usefull for group scheduling)

Signed-off-by : Srivatsa Vaddagiri <vatsa@linux.vnet.ibm.com>  
Signed-off-by : Dhaval Giani <dhaval@linux.vnet.ibm.com>

---  
kernel/sched\_debug.c | 2 ++  
kernel/sched\_fair.c | 3 ++-  
2 files changed, 4 insertions(+), 1 deletion(-)

Index: current/kernel/sched\_debug.c

```
=====
--- current.orig/kernel/sched_debug.c
+++ current/kernel/sched_debug.c
@@ -136,6 +136,8 @@ void print_cfs_rq(struct seq_file *m, in
    SPLIT_NS(spread0));
    SEQ_printf(m, " .%-30s: %ld\n", "spread0",
    cfs_rq->nr_sync_min_vruntime);
+ SEQ_printf(m, " .%-30s: %ld\n", "nr_running", cfs_rq->nr_running);
+ SEQ_printf(m, " .%-30s: %ld\n", "load", cfs_rq->load.weight);
}
```

```
static void print_cpu(struct seq_file *m, int cpu)
```

Index: current/kernel/sched\_fair.c

```
=====
--- current.orig/kernel/sched_fair.c
+++ current/kernel/sched_fair.c
@@ -726,7 +726,7 @@ static void dequeue_task_fair(struct rq
 */
static void yield_task_fair(struct rq *rq)
{
- struct cfs_rq *cfs_rq = &rq->cfs;
+ struct cfs_rq *cfs_rq = task_cfs_rq(rq->curr);
    struct rb_node **link = &cfs_rq->tasks_timeline.rb_node;
    struct sched_entity *rightmost, *se = &rq->curr->se;
    struct rb_node *parent;
@@ -1025,6 +1025,7 @@ static void print_cfs_stats(struct seq_f
{
    struct cfs_rq *cfs_rq;
```

```
+ print_cfs_rq(m, cpu, &cpu_rq(cpu)->cfs);  
  for_each_leaf_cfs_rq(cpu_rq(cpu), cfs_rq)  
    print_cfs_rq(m, cpu, cfs_rq);  
}
```

--

Regards,  
vatsa

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---