

---

Subject: Re: Using multicast in virtual servers

Posted by [Daniel Pittman](#) on Wed, 26 Sep 2007 03:18:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Kirill Korotaev <dev@sw.ru> writes:

> Is the same setup working without openvz? Have you used multicast  
> before? Multicast is a bit complex to set up, requires support from  
> routers/switches etc., so this might well be not openvz-related. But  
> we setting up this test case right now to check ourselves.

>

> Can you please also provide a bit more information about your  
> configuration like whether you use bridge for veth-eth0 traffic  
> bridging or routed networking, any configuration options (including  
> sysctl) you used/changed etc.?

One thing that is worth noting: I found a bug in the ... veth code, I think, where it wouldn't pass a multicast packet through. The code checked with the 'is\_broadcast' flag, for a matching mac, and assumed that anything else was not for this host.

Perhaps this is a similar issue? I can try to dig out the fault report if it helps, but at the time it was simply changing is\_broadcast to include an is\_multicast test on the Ethernet MAC.

Regards,  
Daniel

I hope that actually helps. :)

--

Daniel Pittman <daniel@cybersource.com.au>      Phone: 03 9621 2377  
Level 4, 10 Queen St, Melbourne      Web: <http://www.cyber.com.au>  
Cybersource: Australia's Leading Linux and Open Source Solutions Company

---