
Subject: Re: Using multicast in virtual servers

Posted by [dev](#) on Wed, 26 Sep 2007 07:13:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Daniel Pittman wrote:

> Kirill Korotaev <dev@sw.ru> writes:

>

>

>>Is the same setup working without openvz? Have you used multicast
>>before? Multicast is a bit complex to set up, requires support from
>>routers/switches etc., so this might well be not openvz-related. But
>>we setting up this test case right now to check ourselves.

>>

>>Can you please also provide a bit more information about your
>>configuration like whether you use bridge for veth-eth0 traffic
>>bridging or routed networking, any configuration options (including
>>sysctl) you used/changed etc.?

>

>

> One thing that is worth noting: I found a bug in the ... veth code, I
> think, where it wouldn't pass a multicast packet through. The code
> checked with the 'is_broadcast' flag, for a matching mac, and assumed
> that anything else was not for this host.

plz make sure you really use and look at the sources of 028stab039 kernel.

this check in veth_xmit() was fixed in 028stab034 with this commit:

<http://git.openvz.org/?p=linux-2.6.18-openvz;a=commitdiff;h=993241dcd8ae22d339e08ed78db6e9760b1d89>

>

> Perhaps this is a similar issue? I can try to dig out the fault report
> if it helps, but at the time it was simply changing is_broadcast to
> include an is_multicast test on the Ethernet MAC.

and it started to work?

Thanks,
Kirill
