
Subject: [PATCH] Remove unused member from nsproxy
Posted by [Pavel Emelianov](#) on Wed, 26 Sep 2007 13:14:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

The nslock spinlock is not used in the kernel at all.
Remove it.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
diff --git a/include/linux/init_task.h b/include/linux/init_task.h
index a3f2541..cae35b6 100644
```

```
--- a/include/linux/init_task.h
```

```
+++ b/include/linux/init_task.h
```

```
@@ -73,7 +73,6 @@ extern struct nsproxy init_nsproxy;
```

```
#define INIT_NS_PROXY(nsproxy) { \
```

```
    .pid_ns = &init_pid_ns, \
```

```
    .count = ATOMIC_INIT(1), \
```

```
- .nslock = __SPIN_LOCK_UNLOCKED(nsproxy.nslock), \
```

```
    .uts_ns = &init_uts_ns, \
```

```
    .mnt_ns = NULL, \
```

```
    INIT_NET_NS(net_ns) \
```

```
diff --git a/include/linux/nsproxy.h b/include/linux/nsproxy.h
```

```
index 4d564d8..0e66b57 100644
```

```
--- a/include/linux/nsproxy.h
```

```
+++ b/include/linux/nsproxy.h
```

```
@@ -23,7 +23,6 @@ struct pid_namespace;
```

```
*/
```

```
struct nsproxy {
```

```
    atomic_t count;
```

```
- spinlock_t nslock;
```

```
    struct uts_namespace *uts_ns;
```

```
    struct ipc_namespace *ipc_ns;
```

```
    struct mnt_namespace *mnt_ns;
```

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
