
Subject: Re: [PATCH] Use KMEM_CACHE macro to create the nsproxy cache
Posted by [serue](#) on Wed, 26 Sep 2007 13:39:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quoting Pavel Emelyanov (xemul@openvz.org):

> The blessed way for standard caches is to use it.

> Besides, this may give this cache a better alignment.

>

> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

Acked-by: Serge Hallyn <serue@us.ibm.com>

> ---

>

> diff --git a/kernel/nsproxy.c b/kernel/nsproxy.c

> index ee68964..31351cc 100644

> --- a/kernel/nsproxy.c

> +++ b/kernel/nsproxy.c

> @@ -222,8 +222,7 @@ void exit_task_namespaces(struct task_st

>

> static int __init nsproxy_cache_init(void)

> {

> - nsproxy_cachep = kmem_cache_create("nsproxy", sizeof(struct nsproxy),

> - 0, SLAB_PANIC, NULL);

> + nsproxy_cachep = KMEM_CACHE(nsproxy, SLAB_PANIC);

> return 0;

> }

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
