Subject: Re: [PATCH -mm] Hook up group scheduler with control groups Posted by akpm on Thu, 27 Sep 2007 23:42:41 GMT

View Forum Message <> Reply to Message

```
On Fri, 28 Sep 2007 01:05:12 +0530
Dhaval Giani <dhaval@linux.vnet.ibm.com> wrote:
> On Thu, Sep 27, 2007 at 12:00:33PM -0700, Randy Dunlap wrote:
> > On Thu, 27 Sep 2007 23:34:15 +0530 Dhaval Giani wrote:
>>>
>>>
>>> +config RESOURCE COUNTERS
>>> + bool "Resource counters"
> > + help
>>> + This option enables controller independent resource accounting
> > Above line is tab + 2 spaces (i.e., correct).
> >
            infrastructure that works with cgroups.
>>>+
> > Above line indent is 10 spaces (i.e., not correct).
> Ah! Thanks for the explanation. Corrected patch follows.
> Signed-off-by : Srivatsa Vaddagiri <vatsa@linux.vnet.ibm.com>
> Signed-off-by : Dhaval Giani <dhaval@linux.vnet.ibm.com>
> ...
>
> @ @ -219,6 +225,9 @ @ static inline struct task_grp *task_grp(
>
> #ifdef CONFIG_FAIR_USER_SCHED
> tg = p->user->tg;
> +#elif CONFIG FAIR CGROUP SCHED
> + tg = container_of(task_subsys_state(p, cpu_cgroup_subsys_id),
> + struct task_grp, css);
> #else
> tg = &init_task_grp;
> #endif
that's a bit funny-looking. Are CONFIG_FAIR_CGROUP_SCHED and
CONFIG_FAIR_USER_SCHED mutually exclusive? Doesn't seem that way. if
they're both defined then CONFIG_FAIR_USER_SCHED "wins".
```

Page 1 of 2 ---- Generated from

Anyway, please confirm that this is correct?

I'll switch that to `#elif defined(CONFIG_FAIR_CGROUP_SCHED)'. We can get gcc warnings with `#if CONFIG_FOO', and people should be using `#ifdef CONFIG_FOO', so I assume the same applies to #elif.

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containers