
Subject: Re: [PATCH 2/3] Prepare pid_nr() etc functions to work with not-NULL pids
Posted by [Matt Mackall](#) on Thu, 04 Oct 2007 17:13:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Thu, Oct 04, 2007 at 12:54:17PM +0400, Pavel Emelyanov wrote:

> Matt Mackall wrote:

> > On Wed, Oct 03, 2007 at 06:20:43PM +0400, Pavel Emelyanov wrote:

> >> Just make the __pid_nr() etc functions that expect the argument

> >> to always be not NULL.

> >>

> >> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

> >

> >> static inline pid_t pid_nr(struct pid *pid)

> >> {

> >> pid_t nr = 0;

> >> if (pid)

> >> - nr = pid->numbers[0].nr;

> >> + nr = __pid_nr(pid);

> >> return nr;

> >> }

> >

> > Is there a patch that removes these inlines? Otherwise this looks good

> > to me.

>

> Not yet. Some of are uninline already, but others are not. I'd like

> to make some testing before uninline them.

I was asking about the whole function, actually, not the keyword. Is
this function not equivalent to __pid_nr now?

--

Mathematics is the supreme nostalgia of our time.
