
Subject: [PATCH][just for review] memory controller enhancements [3/5] remember
on which list patch

Posted by KAMEZAWA Hiroyuki on Thu, 11 Oct 2007 09:52:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Remember page_cgroup is on active_list or not in page_cgroup->flags.

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

Signed-off-by: YAMAMOTO Takashi <yamamoto@valinux.co.jp>

mm/memcontrol.c | 12 ++++++-----
1 file changed, 8 insertions(+), 4 deletions(-)

Index: devel-2.6.23-rc8-mm2/mm/memcontrol.c

```
=====
--- devel-2.6.23-rc8-mm2.orig/mm/memcontrol.c
+++ devel-2.6.23-rc8-mm2/mm/memcontrol.c
@@ -85,6 +85,7 @@ struct page_cgroup {
     /* mapped and cached states */
     int flags;
 #define PCGF_PAGESCACHE (0x1) /* charged as page-cache */
+#define PCGF_ACTIVE (0x2) /* this is on cgroup's active list */
};

enum {
@@ -208,10 +209,13 @@ clear_page_cgroup(struct page *page, str

static void __mem_cgroup_move_lists(struct page_cgroup *pc, bool active)
{
- if (active)
+ if (active) {
+ pc->flags |= PCGF_ACTIVE;
    list_move(&pc->lru, &pc->mem_cgroup->active_list);
- else
+ } else {
+ pc->flags &= ~PCGF_ACTIVE;
    list_move(&pc->lru, &pc->mem_cgroup->inactive_list);
+ }
}

/*
@@ -409,9 +413,9 @@ noreclaim:
pc->mem_cgroup = mem;
pc->page = page;
if (is_cache)
- pc->flags = PCGF_PAGESCACHE;
+ pc->flags = PCGF_PAGESCACHE | PCGF_ACTIVE;
else
```

```
- pc->flags = 0;  
+ pc->flags = PCGF_ACTIVE;  
if (page_cgroup_assign_new_page_cgroup(page, pc)) {  
/*  
 * an another charge is added to this page already.
```

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
