

---

Subject: [PATCH 1/3] Don't declare extern variables in net/core/sysctl\_net\_core.c  
Posted by [Pavel Emelianov](#) on Mon, 22 Oct 2007 15:22:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Some are already declared in include/linux/netdevice.h, while some others (xfrm ones) need to be declared.

The driver/net/rrunner.c just uses same extern as well, so cleanup it also.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

---

```
diff --git a/drivers/net/rrunner.c b/drivers/net/rrunner.c
index 19152f5..b822859 100644
--- a/drivers/net/rrunner.c
+++ b/drivers/net/rrunner.c
@@ -79,12 +79,10 @@ static char version[] __devinitdata = "rrunner.c: v0.50 11/11/2002 Jes
Sorensen
*/
```

```
/*
- * These are checked at init time to see if they are at least 256KB
- * and increased to 256KB if they are not. This is done to avoid ending
- * up with socket buffers smaller than the MTU size,
+ * sysctl_[wr]mem_max are checked at init time to see if they are at
+ * least 256KB and increased to 256KB if they are not. This is done to
+ * avoid ending up with socket buffers smaller than the MTU size,
*/
-extern __u32 sysctl_wmem_max;
-extern __u32 sysctl_rmem_max;
```

```
static int __devinit rr_init_one(struct pci_dev *pdev,
const struct pci_device_id *ent)
```

```
diff --git a/include/net/xfrm.h b/include/net/xfrm.h
index 688f6f5..58dfa82 100644
```

```
--- a/include/net/xfrm.h
+++ b/include/net/xfrm.h
@@ -37,6 +37,8 @@
extern struct sock *xfrm_nl;
extern u32 sysctl_xfrm_aevent_etime;
extern u32 sysctl_xfrm_aevent_rseqth;
+extern int sysctl_xfrm_larval_drop;
+extern u32 sysctl_xfrm_acq_expires;
```

```
extern struct mutex xfrm_cfg_mutex;
```

```

diff --git a/net/core/sysctl_net_core.c b/net/core/sysctl_net_core.c
index 6d5ea97..113cc72 100644
--- a/net/core/sysctl_net_core.c
+++ b/net/core/sysctl_net_core.c
@@ -9,25 +9,12 @@
#include <linux/sysctl.h>
#include <linux/module.h>
#include <linux/socket.h>
+#include <linux/netdevice.h>
#include <net/sock.h>
+#include <net/xfrm.h>

#ifdef CONFIG_SYSCTL

-extern int netdev_max_backlog;
-extern int weight_p;
-
-extern __u32 sysctl_wmem_max;
-extern __u32 sysctl_rmem_max;
-
-extern int sysctl_core_destroy_delay;
-
-#ifdef CONFIG_XFRM
-extern u32 sysctl_xfrm_aevent_etime;
-extern u32 sysctl_xfrm_aevent_rseqth;
-extern int sysctl_xfrm_larval_drop;
-extern u32 sysctl_xfrm_acq_expires;
-#endif
-
ctl_table core_table[] = {
#ifdef CONFIG_NET
{
--
1.5.3.4

```

---