

---

Subject: Re: [RFC][PATCH] memory cgroup enhancements updated [2/10] force empty interface

Posted by [Balbir Singh](#) on Wed, 24 Oct 2007 13:52:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

KAMEZAWA Hiroyuki wrote:

> This patch adds an interface "memory.force\_empty".  
> Any write to this file will drop all charges in this cgroup if  
> there is no task under.  
>  
> %echo 1 > /...../memory.force\_empty  
>  
> will drop all charges of memory cgroup if cgroup's tasks is empty.  
>  
> This is useful to invoke rmdir() against memory cgroup successfully.  
>  
> Tested and worked well on x86\_64/fake-NUMA system.  
>  
> Changelog v4 -> v5:  
> - added comments to mem\_cgroup\_force\_empty()  
> - made mem\_force\_empty\_read return -EINVAL  
> - cleanup mem\_cgroup\_force\_empty\_list()  
> - removed SWAP\_CLUSTER\_MAX  
>  
> Changelog v3 -> v4:  
> - adjusted to 2.6.23-mm1  
> - fixed typo  
> - changes buf[2]="0" to static const  
>  
> Changelog v2 -> v3:  
> - changed the name from force\_reclaim to force\_empty.  
>  
> Changelog v1 -> v2:  
> - added a new interface force\_reclaim.  
> - changes spin\_lock to spin\_lock\_irqsave().  
>  
>  
> Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>  
>  
>  
> mm/memcontrol.c | 110  
+++++  
> 1 file changed, 103 insertions(+), 7 deletions(-)  
>  
> Index: devel-2.6.23-mm1/mm/memcontrol.c  
> =====  
> --- devel-2.6.23-mm1.orig/mm/memcontrol.c  
> +++ devel-2.6.23-mm1/mm/memcontrol.c

```

> @@ -480,6 +480,7 @@ void mem_cgroup_uncharge(struct page_cgr
>   page = pc->page;
>   /*
>    * get page->cgroup and clear it under lock.
> + * force_empty can drop page->cgroup without checking refcnt.
>   */
>   if (clear_page_cgroup(page, pc) == pc) {
>     mem = pc->mem_cgroup;
> @@ -489,13 +490,6 @@ void mem_cgroup_uncharge(struct page_cgr
>     list_del_init(&pc->lru);
>     spin_unlock_irqrestore(&mem->lru_lock, flags);
>     kfree(pc);
> - } else {
> - /*
> -   * Note:This will be removed when force-empty patch is
> -   * applied. just show warning here.
> -   */
> -   printk(KERN_ERR "Race in mem_cgroup_uncharge() ?");
> -   dump_stack();
> - }
> - }
> - }
> @@ -543,6 +537,76 @@ retry:
>   return;
> }
>
> +/*
> + * This routine traverse page_cgroup in given list and drop them all.
> + * This routine ignores page_cgroup->ref_cnt.
> + * And* this routine doesn't reclaim page itself, just removes page_cgroup.
> +*/
> +#define FORCE_UNCHARGE_BATCH (128)
> +static void
> +mem_cgroup_force_empty_list(struct mem_cgroup *mem, struct list_head *list)
> +{
> + struct page_cgroup *pc;
> + struct page *page;
> + int count;
> + unsigned long flags;
> +
> +retry:
> + count = FORCE_UNCHARGE_BATCH;
> + spin_lock_irqsave(&mem->lru_lock, flags);
> +
> + while (--count && !list_empty(list)) {
> +   pc = list_entry(list->prev, struct page_cgroup, lru);
> +   page = pc->page;
> +   /* Avoid race with charge */

```

```

> + atomic_set(&pc->ref_cnt, 0);
> + if (clear_page_cgroup(page, pc) == pc) {
> +   css_put(&mem->css);
> +   res_counter_uncharge(&mem->res, PAGE_SIZE);
> +   list_del_init(&pc->lru);
> +   kfree(pc);
> + } else /* being uncharged ? ...do relax */
> +   break;
> +
> + spin_unlock_irqrestore(&mem->lru_lock, flags);
> + if (!list_empty(list)) {
> +   cond_resched();
> +   goto retry;
> +
> + return;
> +
> +

```

We could potentially share some of this code with the background reclaim code being worked upon by YAMAMOTO-San.

```

> +/*
> + * make mem_cgroup's charge to be 0 if there is no task.
> + * This enables deleting this mem_cgroup.
> +*/
> +
> +int mem_cgroup_force_empty(struct mem_cgroup *mem)
> +{
> +  int ret = -EBUSY;
> +  css_get(&mem->css);
> + /*
> +  * page reclaim code (kswapd etc..) will move pages between
> +  * active_list <-> inactive_list while we don't take a lock.
> +  * So, we have to do loop here until all lists are empty.
> + */
> +  while (!(list_empty(&mem->active_list) &&
> +    list_empty(&mem->inactive_list))) {
> +    if (atomic_read(&mem->css.cgroup->count) > 0)
> +      goto out;
> +    /* drop all page_cgroup in active_list */
> +    mem_cgroup_force_empty_list(mem, &mem->active_list);
> +    /* drop all page_cgroup in inactive_list */
> +    mem_cgroup_force_empty_list(mem, &mem->inactive_list);
> +  }
> +  ret = 0;
> +out:
> +  css_put(&mem->css);
> +  return ret;

```

```

> +}
> +
> +
> +
> int mem_cgroup_write_strategy(char *buf, unsigned long long *tmp)
> {
>     *tmp = memparse(buf, &buf);
> @@ -628,6 +692,33 @@ static ssize_t mem_control_type_read(str
>         ppos, buf, s - buf);
>     }
>
> +
> +static ssize_t mem_force_empty_write(struct cgroup *cont,
> +    struct cftype *cft, struct file *file,
> +    const char __user *userbuf,
> +    size_t nbytes, loff_t *ppos)
> +{
> +    struct mem_cgroup *mem = mem_cgroup_from_cont(cont);
> +    int ret;
> +    ret = mem_cgroup_force_empty(mem);
> +    if (!ret)
> +        ret = nbytes;
> +    return ret;
> +}
> +
> +/*
> + * Note: This should be removed if cgroup supports write-only file.
> + */
> +
> +static ssize_t mem_force_empty_read(struct cgroup *cont,
> +    struct cftype *cft,
> +    struct file *file, char __user *userbuf,
> +    size_t nbytes, loff_t *ppos)
> +{
> +    return -EINVAL;
> +}
> +
> +
> static struct cftype mem_cgroup_files[] = {
> {
>     .name = "usage_in_bytes",
> @@ -650,6 +741,11 @@ static struct cftype mem_cgroup_files[]
>     .write = mem_control_type_write,
>     .read = mem_control_type_read,
> },
> +
> +
>     .name = "force_empty",
>     .write = mem_force_empty_write,

```

```
> + .read = mem_force_empty_read,  
> + },  
> };  
>  
> static struct mem_cgroup init_mem_cgroup;  
>
```

--

Warm Regards,  
Balbir Singh  
Linux Technology Center  
IBM, ISTL

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---