

---

Subject: Re: error with centos 5 template in centos 5 host  
Posted by [Roberto Pereyra](#) on Wed, 24 Oct 2007 15:09:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
cat /etc/sysctl.conf
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled.  See sysctl(8) and
# sysctl.conf(5) for more details.

# Controls IP packet forwarding
net.ipv4.ip_forward = 1

# Controls source route verification
net.ipv4.conf.default.rp_filter = 1

# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0

# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 1

# Controls whether core dumps will append the PID to the core filename
# Useful for debugging multi-threaded applications
kernel.core_uses_pid = 1

# Controls the use of TCP syncookies
net.ipv4.tcp_syncookies = 1

# Controls the maximum size of a message, in bytes
kernel.msgmnb = 65536

# Controls the default maximum size of a message queue
kernel.msgmax = 65536

# Controls the maximum shared segment size, in bytes
kernel.shmmax = 4294967295

# Controls the maximum number of shared memory segments, in pages
kernel.shmall = 268435456

net.ipv4.conf.default.proxy_arp = 0

net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```

> Can you give access to your HW?

yes I can ssh access from HN. to VN and from VN ping to HN but can't ping to my gateway

roberto

--

Ing. Roberto Pereyra

ContenidosOnline

<http://www.contenidosonline.com.ar>

Get secure managed email for your own domain with Hushmail Business -

<http://www.hushmail.com/business?l=503&a=3211>

---