
Subject: [PATCH] remove __net_initdata attribute

Posted by [den](#) on Fri, 26 Oct 2007 09:54:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

The discussion with Eric W. Biederman reveals that the concept for __net_initdata is bogus. The ->exit method of pernet_operations should be called during module exit.

So, discard this attribute.

Signed-off-by: Denis V. Lunev <den@openvz.org>

```
diff --git a/drivers/net/loopback.c b/drivers/net/loopback.c
index 662b8d1..45f30a2 100644
--- a/drivers/net/loopback.c
+++ b/drivers/net/loopback.c
@@ -284,7 +284,7 @@ static __net_exit void loopback_net_exit(struct net *net)
    unregister_netdev(dev);
}
```

```
-static struct pernet_operations __net_initdata loopback_net_ops = {
+static struct pernet_operations loopback_net_ops = {
    .init = loopback_net_init,
    .exit = loopback_net_exit,
};
```

```
diff --git a/fs/proc/proc_net.c b/fs/proc/proc_net.c
index 2e91fb7..cbc5a95 100644
--- a/fs/proc/proc_net.c
+++ b/fs/proc/proc_net.c
@@ -185,7 +185,7 @@ static __net_exit void proc_net_ns_exit(struct net *net)
    kfree(net->proc_net_root);
}
```

```
-struct pernet_operations __net_initdata proc_net_ns_ops = {
+struct pernet_operations proc_net_ns_ops = {
    .init = proc_net_ns_init,
    .exit = proc_net_ns_exit,
};
```

```
diff --git a/include/net/net_namespace.h b/include/net/net_namespace.h
index 93aa87d..5279466 100644
--- a/include/net/net_namespace.h
+++ b/include/net/net_namespace.h
@@ -102,11 +102,9 @@ static inline void release_net(struct net *net)
#ifdef CONFIG_NET_NS
#define __net_init
#define __net_exit
-#define __net_initdata
#else
```

```

#define __net_init __init
#define __net_exit __exit_refok
-#define __net_initdata __initdata
#endif

struct pernet_operations {
diff --git a/net/core/dev.c b/net/core/dev.c
index f1647d7..1afcb56 100644
--- a/net/core/dev.c
+++ b/net/core/dev.c
@@ -2665,7 +2665,7 @@ static void __net_exit dev_proc_net_exit(struct net *net)
    proc_net_remove(net, "dev");
}

-static struct pernet_operations __net_initdata dev_proc_ops = {
+static struct pernet_operations dev_proc_ops = {
    .init = dev_proc_net_init,
    .exit = dev_proc_net_exit,
};
@@ -4325,7 +4325,7 @@ static void __net_exit netdev_exit(struct net *net)
    kfree(net->dev_index_head);
}

-static struct pernet_operations __net_initdata netdev_net_ops = {
+static struct pernet_operations netdev_net_ops = {
    .init = netdev_init,
    .exit = netdev_exit,
};
@@ -4356,7 +4356,7 @@ static void __net_exit default_device_exit(struct net *net)
    rtnl_unlock();
}

-static struct pernet_operations __net_initdata default_device_ops = {
+static struct pernet_operations default_device_ops = {
    .exit = default_device_exit,
};

diff --git a/net/core/dev_mcast.c b/net/core/dev_mcast.c
index 15241cf..ae35405 100644
--- a/net/core/dev_mcast.c
+++ b/net/core/dev_mcast.c
@@ -285,7 +285,7 @@ static void __net_exit dev_mc_net_exit(struct net *net)
    proc_net_remove(net, "dev_mcast");
}

-static struct pernet_operations __net_initdata dev_mc_net_ops = {
+static struct pernet_operations dev_mc_net_ops = {
    .init = dev_mc_net_init,

```

```
.exit = dev_mc_net_exit,  
};  
diff --git a/net/netlink/af_netlink.c b/net/netlink/af_netlink.c  
index 3252729..4f994c0 100644  
--- a/net/netlink/af_netlink.c  
+++ b/net/netlink/af_netlink.c  
@@ -1888,7 +1888,7 @@ static void __net_exit netlink_net_exit(struct net *net)  
#endif  
}  
  
-static struct pernet_operations __net_initdata netlink_net_ops = {  
+static struct pernet_operations netlink_net_ops = {  
    .init = netlink_net_init,  
    .exit = netlink_net_exit,  
};
```
