
Subject: Re: [PATCH 1/5] The config option itself
Posted by [Randy Dunlap](#) on Wed, 31 Oct 2007 16:19:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, 31 Oct 2007 14:05:01 +0300 Pavel Emelyanov wrote:

> The option is called NAMESPACES. It can be selectable only
> if EMBEDDED is chosen (this was Eric's requisition). When
> the EMBEDDED is off namespaces will be on automatically.
> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

and when EMBEDDED is on, it looks like NAMESPACES will be off automatically (but user-changeable)? Is that intended?

```
> ---
>
> diff --git a/init/Kconfig b/init/Kconfig
> index c3de3ed..fc76773 100644
> --- a/init/Kconfig
> +++ b/init/Kconfig
> @@ -400,6 +400,15 @@ config RELAY
>
>   If unsure, say N.
>
> +config NAMESPACES
> + bool "Namespaces support" if EMBEDDED
> + default !EMBEDDED
> + help
> +   Provides the way to make tasks work with different objects using
> +   the same id. For example same IPC id may refer to different objects
> +   or same user id or pid may refer to different tasks when used in
> +   different namespaces.
> +
> config BLK_DEV_INITRD
> bool "Initial RAM filesystem and RAM disk (initramfs/initrd) support"
> depends on BROKEN || !FRV
```

~Randy

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
