
Subject: [PATCH 1/5][NETNS] Make the init/exit hooks checks outside the loop
Posted by [Pavel Emelianov](#) on Wed, 31 Oct 2007 18:21:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

When the new pernet something (subsys, device or operations) is being registered, the init callback is to be called for each namespace, that currently exist in the system. During the unregister, the same is to be done with the exit callback.

However, not every pernet something has both calls, but the check for the appropriate pointer to be not NULL is performed inside the `for_each_net()` loop.

This is (at least) strange, so tune this.

Signed-off-by: Pavel Emelianov <xemul@openvz.org>

diff --git a/net/core/net_namespace.c b/net/core/net_namespace.c
index 662e6ea..4e52921 100644

--- a/net/core/net_namespace.c

+++ b/net/core/net_namespace.c

@@ -187,29 +187,28 @@ static int register_pernet_operations(struct list_head *list,
struct net *net, *undo_net;
int error;

```
- error = 0;  
list_add_tail(&ops->list, list);  
- for_each_net(net) {  
- if (ops->init) {  
+ if (ops->init) {  
+ for_each_net(net) {  
error = ops->init(net);  
if (error)  
goto out_undo;  
}  
}  
-out:  
- return error;  
+ return 0;
```

```
out_undo:  
/* If I have an error cleanup all namespaces I initialized */  
list_del(&ops->list);  
- for_each_net(undo_net) {  
- if (undo_net == net)  
- goto undone;
```

```

- if (ops->exit)
+ if (ops->exit) {
+ for_each_net(undo_net) {
+ if (undo_net == net)
+ goto undone;
+ ops->exit(undo_net);
+ }
+ }
undone:
- goto out;
+ return error;
}

```

```
static void unregister_pernet_operations(struct pernet_operations *ops)
```

```
@@ -217,8 +216,8 @@ static void unregister_pernet_operations(struct pernet_operations *ops)
struct net *net;
```

```

list_del(&ops->list);
- for_each_net(net)
- if (ops->exit)
+ if (ops->exit)
+ for_each_net(net)
+ ops->exit(net);
}

```

```
--
```

1.5.3.4
