

---

Subject: Re: [PATCH] namespaces: introduce sys\_hijack (v8)

Posted by [Mark Nelson](#) on Mon, 05 Nov 2007 05:18:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Serge,

Quick fix (feel free to just fold it into your patch). There may be a smarter way of fixing this, but this worked for -lxc...

Thanks!

Mark.

ERR\_PTR is now used in cgroup code so we need to include err.h

This fixes the build error with CGROUPS disabled:

```
In file included from include/linux/cpuset.h:14,
                 from mm/slub.c:19:
include/linux/cgroup.h: In function 'task_from_cgroup_fd':
include/linux/cgroup.h:329: error: implicit declaration of function 'ERR_PTR'
include/linux/cgroup.h:329: warning: return makes pointer from integer without a cast
make[2]: *** [mm/slub.o] Error 1
make[1]: *** [mm] Error 2
make: *** [sub-make] Error 2
```

Signed-off-by: Mark Nelson <markn@au1.ibm.com>

---

```
include/linux/cgroup.h | 1 +
1 file changed, 1 insertion(+)
```

Index: linux/include/linux/cgroup.h

=====

--- linux.orig/include/linux/cgroup.h

+++ linux/include/linux/cgroup.h

@@ -14,6 +14,7 @@

#include <linux/nodemask.h>

#include <linux/rcupdate.h>

#include <linux/cgroupstats.h>

+#include <linux/err.h>

#ifdef CONFIG\_CGROUPS

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---