

---

Subject: Re: [PATCH 6/6 mm] memcggroup: revert swap\_state mods  
Posted by [KAMEZAWA Hiroyuki](#) on Fri, 09 Nov 2007 09:21:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Fri, 9 Nov 2007 07:14:22 +0000 (GMT)  
Hugh Dickins <[hugh@veritas.com](mailto:hugh@veritas.com)> wrote:

> If we're charging rss and we're charging cache, it seems obvious that  
> we should be charging swapcache - as has been done. But in practice  
> that doesn't work out so well: both swapin readahead and swapon leave  
> the majority of pages charged to the wrong cgroup (the cgroup that  
> happened to read them in, rather than the cgroup to which they belong).  
>

Thank you. I welcome this patch :)

Could I confirm a change in the logic ?

- \* Before this patch, wrong swapcache charge is added to one who called `try_to_free_page()`.
- \* After this patch, anonymous page's charge will drop to 0 when `page_remove_rmap()` is called.

Regards,  
-Kame

---

Containers mailing list  
[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---