
Subject: [PATCH 1/6] Add the NAMESPACES config option
Posted by [Pavel Emelianov](#) on Wed, 14 Nov 2007 11:28:17 GMT
[View Forum Message](#) <[Reply to Message](#)

The option is selectable if EMBEDDED is chosen only. When the EMBEDDED is off namespaces will be on.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
diff --git a/init/Kconfig b/init/Kconfig
index 96fba82..4ccc1a0 100644
--- a/init/Kconfig
+++ b/init/Kconfig
@@ -404,6 +404,15 @@ config RELAY
```

If unsure, say N.

```
+config NAMESPACES
+ bool "Namespaces support" if EMBEDDED
+ default !EMBEDDED
+ help
+   Provides the way to make tasks work with different objects using
+   the same id. For example same IPC id may refer to different objects
+   or same user id or pid may refer to different tasks when used in
+   different namespaces.
+
config BLK_DEV_INITRD
  bool "Initial RAM filesystem and RAM disk (initramfs/initrd) support"
  depends on BROKEN || !FRV
--
```

1.5.3.4

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
