
Subject: [PATCH 2.6.25 6/6] net: consolidate net namespace related proc files creation

Posted by [den](#) on Thu, 15 Nov 2007 16:01:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

net: consolidate net namespace related proc files creation

Signed-off-by: Denis V. Lunev <den@openvz.org>

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
fs/proc/proc_net.c      | 38 ++++++
include/linux/seq_file.h | 13 ++++++
net/core/dev.c           | 28 +++++-----
net/core/dev_mcast.c    | 26 +++++-----
net/netlink/af_netlink.c | 33 ++++++-----
net/packet/af_packet.c   | 26 +++++-----
net/unix/af_unix.c       | 31 ++++++-----
net/wireless/wext.c      | 24 +++-----
8 files changed, 80 insertions(+), 139 deletions(-)
```

diff --git a/fs/proc/proc_net.c b/fs/proc/proc_net.c

index 131f9c6..421ea28 100644

--- a/fs/proc/proc_net.c

+++ b/fs/proc/proc_net.c

@@ -22,10 +22,48 @@

#include <linux/mount.h>

#include <linux/nsproxy.h>

#include <net/net_namespace.h>

+#include <linux/seq_file.h>

#include "internal.h"

+int seq_open_net(struct inode *ino, struct file *f,

+ const struct seq_operations *ops, int size)

+{

+ struct net *net;

+ struct seq_net_private *p;

+

+ BUG_ON(size < sizeof(*p));

+

+ net = get_proc_net(ino);

+ if (net == NULL)

+ return -ENXIO;

+

+ p = __seq_open_private(f, ops, size);

+ if (p == NULL) {

+ put_net(net);

```

+ return -ENOMEM;
+ }
+ p->net = net;
+ return 0;
+}
+EXPORT_SYMBOL_GPL(seq_open_net);
+
+int seq_release_net(struct inode *ino, struct file *f)
+{
+ struct seq_file *seq;
+ struct seq_net_private *p;
+
+ seq = f->private_data;
+ p = seq->private;
+
+ put_net(p->net);
+ seq_release_private(ino, f);
+ return 0;
+}
+EXPORT_SYMBOL_GPL(seq_release_net);
+
+
+struct proc_dir_entry *proc_net_fops_create(struct net *net,
+      const char *name, mode_t mode, const struct file_operations *fops)
+{
diff --git a/include/linux/seq_file.h b/include/linux/seq_file.h
index ebbc02b..648dfb 100644
--- a/include/linux/seq_file.h
+++ b/include/linux/seq_file.h
@@ -63,5 +63,18 @@ extern struct list_head *seq_list_start_head(struct list_head *head,
extern struct list_head *seq_list_next(void *v, struct list_head *head,
      loff_t *ppos);

+struct net;
+struct seq_net_private {
+ struct net *net;
+};
+
+int seq_open_net(struct inode *, struct file *,
+      const struct seq_operations *, int);
+int seq_release_net(struct inode *, struct file *);
+static inline struct net *seq_file_net(struct seq_file *seq)
+{
+ return ((struct seq_net_private *)seq->private)->net;
+}
+
+
+endif
+endif

```

```

diff --git a/net/core/dev.c b/net/core/dev.c
index 86d6261..043e2f8 100644
--- a/net/core/dev.c
+++ b/net/core/dev.c
@@ -2360,7 +2360,7 @@ static int dev_ifconf(struct net *net, char __user *arg)
 */
void *dev_seq_start(struct seq_file *seq, loff_t *pos)
{
- struct net *net = seq->private;
+ struct net *net = seq_file_net(seq);
  loff_t off;
  struct net_device *dev;

@@ -2378,7 +2378,7 @@ void *dev_seq_start(struct seq_file *seq, loff_t *pos)

void *dev_seq_next(struct seq_file *seq, void *v, loff_t *pos)
{
- struct net *net = seq->private;
+ struct net *net = seq_file_net(seq);
  ++*pos;
  return v == SEQ_START_TOKEN ?
    first_net_device(net) : next_net_device((struct net_device *)v);
@@ -2477,26 +2477,8 @@ static const struct seq_operations dev_seq_ops = {

static int dev_seq_open(struct inode *inode, struct file *file)
{
- struct seq_file *seq;
- int res;
- res = seq_open(file, &dev_seq_ops);
- if (!res) {
-   seq = file->private_data;
-   seq->private = get_proc_net(inode);
-   if (!seq->private) {
-     seq_release(inode, file);
-     res = -ENOMEM;
-   }
- }
- return res;
-}
-
-static int dev_seq_release(struct inode *inode, struct file *file)
-{
- struct seq_file *seq = file->private_data;
- struct net *net = seq->private;
- put_net(net);
- return seq_release(inode, file);
+ return seq_open_net(inode, file, &dev_seq_ops,
+   sizeof(struct seq_net_private));

```

```

}

static const struct file_operations dev_seq_fops = {
@@ -2504,7 +2486,7 @@ static const struct file_operations dev_seq_fops = {
    .open    = dev_seq_open,
    .read    = seq_read,
    .llseek  = seq_lseek,
- .release = dev_seq_release,
+ .release = seq_release_net,
};

static const struct seq_operations softnet_seq_ops = {
diff --git a/net/core/dev_mcast.c b/net/core/dev_mcast.c
index 69fff16..63f0b33 100644
--- a/net/core/dev_mcast.c
+++ b/net/core/dev_mcast.c
@@ -187,7 +187,7 @@ EXPORT_SYMBOL(dev_mc_unsync);
#ifdef CONFIG_PROC_FS
static void *dev_mc_seq_start(struct seq_file *seq, loff_t *pos)
{
- struct net *net = seq->private;
+ struct net *net = seq_file_net(seq);
  struct net_device *dev;
  loff_t off = 0;

@@ -241,26 +241,8 @@ static const struct seq_operations dev_mc_seq_ops = {

static int dev_mc_seq_open(struct inode *inode, struct file *file)
{
- struct seq_file *seq;
- int res;
- res = seq_open(file, &dev_mc_seq_ops);
- if (!res) {
-   seq = file->private_data;
-   seq->private = get_proc_net(inode);
-   if (!seq->private) {
-     seq_release(inode, file);
-     res = -ENXIO;
-   }
- }
- return res;
-}
-
-static int dev_mc_seq_release(struct inode *inode, struct file *file)
-{
- struct seq_file *seq = file->private_data;
- struct net *net = seq->private;
- put_net(net);

```

```

- return seq_release(inode, file);
+ return seq_open_net(inode, file, &dev_mc_seq_ops,
+     sizeof(struct seq_net_private));
}

static const struct file_operations dev_mc_seq_fops = {
@@ -268,7 +250,7 @@ static const struct file_operations dev_mc_seq_fops = {
    .open    = dev_mc_seq_open,
    .read    = seq_read,
    .llseek  = seq_llseek,
- .release = dev_mc_seq_release,
+ .release = seq_release_net,
};

#endif
diff --git a/net/netlink/af_netlink.c b/net/netlink/af_netlink.c
index de3988b..1518244 100644
--- a/net/netlink/af_netlink.c
+++ b/net/netlink/af_netlink.c
@@ -1681,7 +1681,7 @@ int nlmsg_notify(struct sock *sk, struct sk_buff *skb, u32 pid,

#ifdef CONFIG_PROC_FS
struct nl_seq_iter {
- struct net *net;
+ struct seq_net_private p;
    int link;
    int hash_idx;
};
@@ -1699,7 +1699,7 @@ static struct sock *netlink_seq_socket_idx(struct seq_file *seq, loff_t
pos)

    for (j = 0; j <= hash->mask; j++) {
        sk_for_each(s, node, &hash->table[j]) {
-         if (iter->net != s->sk_net)
+         if (iter->p.net != s->sk_net)
            continue;
            if (off == pos) {
                iter->link = i;
@@ -1734,7 +1734,7 @@ static void *netlink_seq_next(struct seq_file *seq, void *v, loff_t *pos)
    s = v;
    do {
        s = sk_next(s);
- } while (s && (iter->net != s->sk_net));
+ } while (s && (iter->p.net != s->sk_net));
    if (s)
        return s;

@@ -1746,7 +1746,7 @@ static void *netlink_seq_next(struct seq_file *seq, void *v, loff_t *pos)

```

```

    for (; j <= hash->mask; j++) {
        s = sk_head(&hash->table[j]);
-   while (s && (iter->net != s->sk_net))
+   while (s && (iter->p.net != s->sk_net))
        s = sk_next(s);
        if (s) {
            iter->link = i;
@@ -1802,27 +1802,8 @@ static const struct seq_operations netlink_seq_ops = {

static int netlink_seq_open(struct inode *inode, struct file *file)
{
- struct nl_seq_iter *iter;
-
- iter = __seq_open_private(file, &netlink_seq_ops, sizeof(*iter));
- if (!iter)
- return -ENOMEM;
-
- iter->net = get_proc_net(inode);
- if (!iter->net) {
- seq_release_private(inode, file);
- return -ENXIO;
- }
-
- return 0;
-}
-
-static int netlink_seq_release(struct inode *inode, struct file *file)
-{
- struct seq_file *seq = file->private_data;
- struct nl_seq_iter *iter = seq->private;
- put_net(iter->net);
- return seq_release_private(inode, file);
+ return seq_open_net(inode, file, &netlink_seq_ops,
+ sizeof(struct nl_seq_iter));
}

static const struct file_operations netlink_seq_fops = {
@@ -1830,7 +1811,7 @@ static const struct file_operations netlink_seq_fops = {
    .open = netlink_seq_open,
    .read = seq_read,
    .llseek = seq_lseek,
- .release = netlink_seq_release,
+ .release = seq_release_net,
};

#endif
diff --git a/net/packet/af_packet.c b/net/packet/af_packet.c

```

index 45e3cbc..ace29f1 100644

--- a/net/packet/af_packet.c

+++ b/net/packet/af_packet.c

@@ -1871,7 +1871,7 @@ static inline struct sock *packet_seq_idx(struct net *net, loff_t off)

```
static void *packet_seq_start(struct seq_file *seq, loff_t *pos)
{
- struct net *net = seq->private;
+ struct net *net = seq_file_net(seq);
  read_lock(&net->packet_sklist_lock);
  return *pos ? packet_seq_idx(net, *pos - 1) : SEQ_START_TOKEN;
}
```

@@ -1924,26 +1924,8 @@ static const struct seq_operations packet_seq_ops = {

```
static int packet_seq_open(struct inode *inode, struct file *file)
{
- struct seq_file *seq;
- int res;
- res = seq_open(file, &packet_seq_ops);
- if (!res) {
-   seq = file->private_data;
-   seq->private = get_proc_net(inode);
-   if (!seq->private) {
-     seq_release(inode, file);
-     res = -ENXIO;
-   }
- }
- return res;
-}
```

```
-static int packet_seq_release(struct inode *inode, struct file *file)
-{
- struct seq_file *seq= file->private_data;
- struct net *net = seq->private;
- put_net(net);
- return seq_release(inode, file);
+ return seq_open_net(inode, file, &packet_seq_ops,
+   sizeof(struct seq_net_private));
}
```

```
static const struct file_operations packet_seq_fops = {
@@ -1951,7 +1933,7 @@ static const struct file_operations packet_seq_fops = {
  .open = packet_seq_open,
  .read = seq_read,
  .llseek = seq_lseek,
- .release = packet_seq_release,
+ .release = seq_release_net,
};
```

```

#endif
diff --git a/net/unix/af_unix.c b/net/unix/af_unix.c
index 93d7e55..6be6d87 100644
--- a/net/unix/af_unix.c
+++ b/net/unix/af_unix.c
@@ -2011,7 +2011,7 @@ static unsigned int unix_poll(struct file * file, struct socket *sock,
poll_tabl

#ifdef CONFIG_PROC_FS
struct unix_iter_state {
- struct net *net;
+ struct seq_net_private p;
  int i;
};
static struct sock *unix_seq_idx(struct unix_iter_state *iter, loff_t pos)
@@ -2020,7 +2020,7 @@ static struct sock *unix_seq_idx(struct unix_iter_state *iter, loff_t pos)
struct sock *s;

  for (s = first_unix_socket(&iter->i); s; s = next_unix_socket(&iter->i, s)) {
- if (s->sk_net != iter->net)
+ if (s->sk_net != iter->p.net)
    continue;
    if (off == pos)
      return s;
@@ -2047,7 +2047,7 @@ static void *unix_seq_next(struct seq_file *seq, void *v, loff_t *pos)
  sk = first_unix_socket(&iter->i);
  else
    sk = next_unix_socket(&iter->i, sk);
- while (sk && (sk->sk_net != iter->net))
+ while (sk && (sk->sk_net != iter->p.net))
    sk = next_unix_socket(&iter->i, sk);
  return sk;
}
@@ -2111,27 +2111,28 @@ static const struct seq_operations unix_seq_ops = {

static int unix_seq_open(struct inode *inode, struct file *file)
{
- struct unix_iter_state *it;
-
- it = __seq_open_private(file, &unix_seq_ops,
-   sizeof(struct unix_iter_state));
- if (it == NULL)
-   return -ENOMEM;
-
- it->net = get_proc_net(inode);
- if (it->net == NULL) {
-   seq_release_private(inode, file);

```



```

- return -ENXIO;
- }
- return 0;
-}
-
-static int unix_seq_release(struct inode *inode, struct file *file)
-{
- struct seq_file *seq = file->private_data;
- struct unix_iter_state *iter = seq->private;
- put_net(iter->net);
- return seq_release_private(inode, file);
+ return seq_open_net(inode, file, &unix_seq_ops,
+     sizeof(struct unix_iter_state));
}

static const struct file_operations unix_seq_fops = {
@@ -2139,7 +2120,7 @@ static const struct file_operations unix_seq_fops = {
    .open = unix_seq_open,
    .read = seq_read,
    .llseek = seq_lseek,
- .release = unix_seq_release,
+ .release = seq_release_net,
};

#endif
diff --git a/net/wireless/wext.c b/net/wireless/wext.c
index 85805f2..3ffbd1b 100644
--- a/net/wireless/wext.c
+++ b/net/wireless/wext.c
@@ -673,26 +673,8 @@ static const struct seq_operations wireless_seq_ops = {

static int wireless_seq_open(struct inode *inode, struct file *file)
{
- struct seq_file *seq;
- int res;
- res = seq_open(file, &wireless_seq_ops);
- if (!res) {
-     seq = file->private_data;
-     seq->private = get_proc_net(inode);
-     if (!seq->private) {
-         seq_release(inode, file);
-         res = -ENXIO;
-     }
- }
- return res;
-}
-
-static int wireless_seq_release(struct inode *inode, struct file *file)

```

```

- {
- struct seq_file *seq = file->private_data;
- struct net *net = seq->private;
- put_net(net);
- return seq_release(inode, file);
+ return seq_open_net(inode, file, &wireless_seq_ops,
+     sizeof(struct seq_net_private));
}

static const struct file_operations wireless_seq_fops = {
@@ -700,7 +682,7 @@ static const struct file_operations wireless_seq_fops = {
    .open    = wireless_seq_open,
    .read    = seq_read,
    .llseek  = seq_lseek,
- .release  = wireless_seq_release,
+ .release  = seq_release_net,
};

int wext_proc_init(struct net *net)
--
1.5.3.rc5

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
