
Subject: [RFC][PATCH] memory controller per zone patches take 2 [3/10] add per zone active/inactive counter t

Posted by KAMEZAWA Hiroyuki on Fri, 16 Nov 2007 10:17:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Counting active/inactive per-zone in memory controller.

This patch adds per-zone status in memory cgroup.

These values are often read (as per-zone value) by page reclaiming.

In current design, per-zone stat is just a unsigned long value and not an atomic value because they are modified only under lru_lock.
(for avoiding atomic_t ops.)

This patch adds ACTIVE and INACTIVE per-zone status values.

For handling per-zone status, this patch adds

```
struct mem_cgroup_per_zone {  
...  
}
```

and some helper functions. This will be useful to add per-zone objects in mem_cgroup.

This patch turns memory controller's early_init to be 0 for calling kmalloc().

Changelog V1 -> V2

- added mem_cgroup_per_zone struct.
This will help following patches to implement per-zone objects and pack them into a struct.
- added __mem_cgroup_add_list() and __mem_cgroup_remove_list()
- fixed page migration handling.
- renamed zstat to info (per-zone-info)
This will be place for per-zone information(lru, lock, ...)
- use page_cgroup_nid()/zid() funcs.

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

```
mm/memcontrol.c | 166 ++++++-----  
1 file changed, 159 insertions(+), 7 deletions(-)
```

Index: linux-2.6.24-rc2-mm1/mm/memcontrol.c

```
=====  
--- linux-2.6.24-rc2-mm1.orig/mm/memcontrol.c  
+++ linux-2.6.24-rc2-mm1/mm/memcontrol.c  
@@ -78,6 +78,32 @@ static s64 mem_cgroup_read_stat(struct m  
 }
```

```

/*
+ * per-zone information in memory controller.
+ */
+
+enum mem_cgroup_zstat_index {
+ MEM_CGROUP_ZSTAT_ACTIVE,
+ MEM_CGROUP_ZSTAT_INACTIVE, /* Active = Total - Inactive */
+
+ NR_MEM_CGROUP_ZSTAT,
+};
+
+struct mem_cgroup_per_zone {
+ unsigned long count[NR_MEM_CGROUP_ZSTAT];
+};
+/* Macro for accessing counter */
+#define MEM_CGROUP_ZSTAT(mz, idx) ((mz)->count[(idx)])
+
+struct mem_cgroup_per_node {
+ struct mem_cgroup_per_zone zoneinfo[MAX_NR_ZONES];
+};
+
+struct mem_cgroup_lru_info {
+ struct mem_cgroup_per_node *nodeinfo[MAX_NUMNODES];
+};
+
+/*
+ * The memory controller data structure. The memory controller controls both
+ * page cache and RSS per cgroup. We would eventually like to provide
+ * statistics based on the statistics developed by Rik Van Riel for clock-pro,
@@ -101,6 +127,7 @@ struct mem_cgroup {
 */
struct list_head active_list;
struct list_head inactive_list;
+ struct mem_cgroup_lru_info info;
/*
 * spin_lock to protect the per cgroup LRU
 */
@@ -158,6 +185,7 @@ enum charge_type {
 MEM_CGROUP_CHARGE_TYPE_MAPPED,
};

+
/*
 * Always modified under lru lock. Then, not necessary to preempt_disable()
 */
@@ -166,6 +194,7 @@ static void mem_cgroup_charge_statistics

```

```

{
    int val = (charge)? 1 : -1;
    struct mem_cgroup_stat *stat = &mem->stat;
+
    VM_BUG_ON(!irqs_disabled());

    if (flags & PAGE_CGROUP_FLAG_CACHE)
@@ -173,7 +202,39 @@ static void mem_cgroup_charge_statistics
        MEM_CGROUP_STAT_CACHE, val);
    else
        __mem_cgroup_stat_add_safe(stat, MEM_CGROUP_STAT_RSS, val);
}

+static inline struct mem_cgroup_per_zone *
+mem_cgroup_zoneinfo(struct mem_cgroup *mem, int nid, int zid)
+{
+ if (!mem->info.nodeinfo[nid])
+     return NULL;
+ return &mem->info.nodeinfo[nid]->zoneinfo[zid];
+}
+
+static inline struct mem_cgroup_per_zone *
+page_cgroup_zoneinfo(struct page_cgroup *pc)
+{
+ struct mem_cgroup *mem = pc->mem_cgroup;
+ int nid = page_cgroup_nid(pc);
+ int zid = page_cgroup_zid(pc);
+
+ return mem_cgroup_zoneinfo(mem, nid, zid);
+}
+
+static unsigned long mem_cgroup_get_all_zonestat(struct mem_cgroup *mem,
+     enum mem_cgroup_zstat_index idx)
+{
+ int nid, zid;
+ struct mem_cgroup_per_zone *mz;
+ u64 total = 0;
+
+ for_each_online_node(nid)
+     for (zid = 0; zid < MAX_NR_ZONES; zid++) {
+         mz = mem_cgroup_zoneinfo(mem, nid, zid);
+         total += MEM_CGROUP_ZSTAT(mz, idx);
+     }
+ return total;
}

static struct mem_cgroup init_mem_cgroup;
@@ -286,12 +347,51 @@ static struct page_cgroup *clear_page_cg

```

```

return ret;
}

+static void __mem_cgroup_remove_list(struct page_cgroup *pc)
+{
+ int from = pc->flags & PAGE_CGROUP_FLAG_ACTIVE;
+ struct mem_cgroup_per_zone *mz = page_cgroup_zoneinfo(pc);
+
+ if (from)
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_ACTIVE) -= 1;
+ else
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_INACTIVE) -= 1;
+
+ mem_cgroup_charge_statistics(pc->mem_cgroup, pc->flags, false);
+ list_del_init(&pc->lru);
+}
+
+static void __mem_cgroup_add_list(struct page_cgroup *pc)
+{
+ int to = pc->flags & PAGE_CGROUP_FLAG_ACTIVE;
+ struct mem_cgroup_per_zone *mz = page_cgroup_zoneinfo(pc);
+
+ if (!to) {
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_INACTIVE) += 1;
+ list_add(&pc->lru, &pc->mem_cgroup->inactive_list);
+ } else {
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_ACTIVE) += 1;
+ list_add(&pc->lru, &pc->mem_cgroup->active_list);
+ }
+ mem_cgroup_charge_statistics(pc->mem_cgroup, pc->flags, true);
+}
+
static void __mem_cgroup_move_lists(struct page_cgroup *pc, bool active)
{
+ int from = pc->flags & PAGE_CGROUP_FLAG_ACTIVE;
+ struct mem_cgroup_per_zone *mz = page_cgroup_zoneinfo(pc);
+
+ if (from)
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_ACTIVE) -= 1;
+ else
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_INACTIVE) -= 1;
+
if (active) {
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_ACTIVE) += 1;
pc->flags |= PAGE_CGROUP_FLAG_ACTIVE;
list_move(&pc->lru, &pc->mem_cgroup->active_list);
} else {
+ MEM_CGROUP_ZSTAT(mz, MEM_CGROUP_ZSTAT_INACTIVE) += 1;
}
}

```

```
pc->flags &= ~PAGE_CGROUP_FLAG_ACTIVE;
list_move(&pc->lru, &pc->mem_cgroup->inactive_list);
}
@@ -511,8 +611,7 @@ noreclaim:
```

```
spin_lock_irqsave(&mem->lru_lock, flags);
/* Update statistics vector */
- mem_cgroup_charge_statistics(mem, pc->flags, true);
- list_add(&pc->lru, &mem->active_list);
+ __mem_cgroup_add_list(pc);
spin_unlock_irqrestore(&mem->lru_lock, flags);
```

done:

```
@@ -576,13 +675,13 @@ void mem_cgroup_uncharge(struct page_cgr
css_put(&mem->css);
res_counter_uncharge(&mem->res, PAGE_SIZE);
spin_lock_irqsave(&mem->lru_lock, flags);
- list_del_init(&pc->lru);
- mem_cgroup_charge_statistics(mem, pc->flags, false);
+ __mem_cgroup_remove_list(pc);
spin_unlock_irqrestore(&mem->lru_lock, flags);
kfree(pc);
}
}
}
+
/*
 * Returns non-zero if a page (under migration) has valid page_cgroup member.
 * Refcnt of page_cgroup is incremented.
@@ -614,16 +713,26 @@ void mem_cgroup_end_migration(struct pag
void mem_cgroup_page_migration(struct page *page, struct page *newpage)
{
    struct page_cgroup *pc;
+ struct mem_cgroup *mem;
+ unsigned long flags;
retry:
    pc = page_get_page_cgroup(page);
    if (!pc)
        return;
+ mem = pc->mem_cgroup;
    if (clear_page_cgroup(page, pc) != pc)
        goto retry;
+
+ spin_lock_irqsave(&mem->lru_lock, flags);
+
+ __mem_cgroup_remove_list(pc);
    pc->page = newpage;
    lock_page_cgroup(newpage);
```

```

page_assign_page_cgroup(newpage, pc);
unlock_page_cgroup(newpage);
+ __mem_cgroup_add_list(pc);
+
+ spin_unlock_irqrestore(&mem->lru_lock, flags);
return;
}

@@ -651,10 +760,11 @@ retry:
/* Avoid race with charge */
atomic_set(&pc->ref_cnt, 0);
if (clear_page_cgroup(page, pc) == pc) {
+ int active;
css_put(&mem->css);
+ active = pc->flags & PAGE_CGROUP_FLAG_ACTIVE;
res_counter_uncharge(&mem->res, PAGE_SIZE);
- list_del_init(&pc->lru);
- mem_cgroup_charge_statistics(mem, pc->flags, false);
+ __mem_cgroup_remove_list(pc);
kfree(pc);
} else /* being uncharged ? ...do relax */
break;
@@ -833,6 +943,17 @@ static int mem_control_stat_show(struct
seq_printf(m, "%s %lld\n", mem_cgroup_stat_desc[i].msg,
(long long)val);
}
+ /* showing # of active pages */
+ {
+ unsigned long active, inactive;
+
+ inactive = mem_cgroup_get_all_zonestat(mem_cont,
+ MEM_CGROUP_ZSTAT_INACTIVE);
+ active = mem_cgroup_get_all_zonestat(mem_cont,
+ MEM_CGROUP_ZSTAT_ACTIVE);
+ seq_printf(m, "active %ld\n", (active) * PAGE_SIZE);
+ seq_printf(m, "inactive %ld\n", (inactive) * PAGE_SIZE);
+ }
return 0;
}

@@ -886,12 +1007,25 @@ static struct cftype mem_cgroup_files[]
},
};

+static int alloc_mem_cgroup_per_zone_info(struct mem_cgroup *mem, int node)
+{
+ struct mem_cgroup_per_node *pn;
+

```

```

+ pn = kmalloc_node(sizeof(*pn), GFP_KERNEL, node);
+ if (!pn)
+ return 1;
+ mem->info.nodeinfo[node] = pn;
+ memset(pn, 0, sizeof(*pn));
+ return 0;
+}
+
static struct mem_cgroup init_mem_cgroup;

static struct cgroup_subsys_state *
mem_cgroup_create(struct cgroup_subsys *ss, struct cgroup *cont)
{
    struct mem_cgroup *mem;
+ int node;

    if (unlikely((cont->parent) == NULL)) {
        mem = &init_mem_cgroup;
@@ -907,7 +1041,19 @@ mem_cgroup_create(struct cgroup_subsys *
        INIT_LIST_HEAD(&mem->inactive_list);
        spin_lock_init(&mem->lru_lock);
        mem->control_type = MEM_CGROUP_TYPE_ALL;
+ memset(&mem->info, 0, sizeof(mem->info));
+
+ for_each_node_state(node, N_POSSIBLE)
+ if (alloc_mem_cgroup_per_zone_info(mem, node))
+ goto free_out;
+
    return &mem->css;
+free_out:
+ for_each_node_state(node, N_POSSIBLE)
+ kfree(mem->info.nodeinfo[node]);
+ if (cont->parent != NULL)
+ kfree(mem);
+ return NULL;
}

static void mem_cgroup_pre_destroy(struct cgroup_subsys *ss,
@@ -920,6 +1066,12 @@ static void mem_cgroup_pre_destroy(struc
static void mem_cgroup_destroy(struct cgroup_subsys *ss,
    struct cgroup *cont)
{
+ int node;
+ struct mem_cgroup *mem = mem_cgroup_from_cont(cont);
+
+ for_each_node_state(node, N_POSSIBLE)
+ kfree(mem->info.nodeinfo[node]);
+

```

```
kfree(mem_cgroup_from_cont(cont));  
}  
  
@@ -972,5 +1124,5 @@ struct cgroup_subsys mem_cgroup_subsys =  
.destroy = mem_cgroup_destroy,  
.populate = mem_cgroup_populate,  
.attach = mem_cgroup_move_task,  
- .early_init = 1,  
+ .early_init = 0,  
};
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
