
Subject: Re: IP ping works, DNS IP ping doesnt work

Posted by [oliver](#) on Fri, 16 Nov 2007 13:38:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

hi,

thanks so far for the replay.

I am using for example 193.24.208.126

And for nsswitch.conf:

```
# cat /etc/nsswitch.conf
# /etc/nsswitch.conf
#
# Example configuration of GNU Name Service Switch functionality.
# If you have the `glibc-doc-reference' and `info' packages installed, try:
# `info libc "Name Service Switch"' for information about this file.
```

```
passwd:    compat
group:     compat
shadow:    compat
```

```
hosts:     files dns
networks:  files
```

```
protocols: db files
services:  db files
ethers:    db files
rpc:       db files
```

```
netgroup:  nis
```

```
# ping google.com
```

```
# host google.com 193.24.208.126
```

```
Using domain server:
```

```
Name: 193.24.208.126
```

```
Address: 193.24.208.126#53
```

```
Aliases:
```

```
google.com has address 72.14.207.99
google.com has address 64.233.167.99
google.com has address 64.233.187.99
google.com mail is handled by 10 smtp4.google.com.
google.com mail is handled by 10 smtp1.google.com.
google.com mail is handled by 10 smtp2.google.com.
```

google.com mail is handled by 10 smtp3.google.com.

#ping 72.14.207.99

PING 72.14.207.99 (72.14.207.99) 56(84) bytes of data.

64 bytes from 72.14.207.99: icmp_seq=1 ttl=240 time=113 ms

64 bytes from 72.14.207.99: icmp_seq=2 ttl=240 time=113 ms

64 bytes from 72.14.207.99: icmp_seq=3 ttl=240 time=113 ms

64 bytes from 72.14.207.99: icmp_seq=4 ttl=240 time=112 ms

--- 72.14.207.99 ping statistics ---

4 packets transmitted, 4 received, 0% packet loss, time 2998ms

rtt min/avg/max/mdev = 112.961/113.283/113.619/0.505 ms

Regards

Oliver
