

---

Subject: Re: [PATCH 6/6 net-2.6.25][RAW] Consolidate proc interface  
Posted by [Pavel Emelianov](#) on Fri, 16 Nov 2007 14:39:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

YOSHIFUJI Hideaki wrote:

> NAK.

>  
> In article <473DA6EF.5090004@openvz.org> (at Fri, 16 Nov 2007 17:19:27 +0300), Pavel  
Emelyanov <xemul@openvz.org> says:

```
>  
>> @@ -858,7 +852,7 @@ static struct sock *raw_get_first(struct seq_file *seq)  
>> ++state->bucket) {  
>> struct hlist_node *node;  
>>  
>> - sk_for_each(sk, node, &raw_v4_hashinfo.ht[state->bucket])  
>> + sk_for_each(sk, node, &state->h->ht[state->bucket])  
>>   if (sk->sk_family == PF_INET)  
>>     goto found;  
>> }
```

>  
> This and

```
>> -static struct sock *raw6_get_first(struct seq_file *seq)  
>> -{  
>> - struct sock *sk;  
>> - struct hlist_node *node;  
>> - struct raw6_iter_state* state = raw6_seq_private(seq);  
>> -  
>> - for (state->bucket = 0; state->bucket < RAW_HTABLE_SIZE;  
>> - ++state->bucket)  
>> - sk_for_each(sk, node, &raw_v6_hashinfo.ht[state->bucket])  
>> - if (sk->sk_family == PF_INET6)  
>> -   goto out;  
>> - sk = NULL;  
>> -out:  
>> - return sk;  
>> -}  
>> -  
>  
> this are different.
```

Oops... Indeed. Thanks for noticing. I've overlooked this :(

> --yoshfuji  
>

---